

KING **INNOVATION®** **PRODUCT GUIDE**



Innovative products for Irrigation, Lighting, & Gas/Water Utility

800.624.4320 | kinginnovation.com | customer.service@ecmindustries.com | 42 N. Central Drive O'Fallon, MO 63366



IRRIGATION

King Innovation got its start in Irrigation with King Drains & has since grown in the market because of a commitment to providing quality products. The Black Series Waterproof Connectors have been a constant in the industry & the DryConn brand has expanded to incorporate a variety of waterproof connector styles. King is proud to now offer Blazing brand saddles, fittings & accessories.



LIGHTING

Contractors have been using DryConn Waterproof Wire Connectors for years in outdoor lighting applications. We have made a commitment to serving our customers in the lighting industry with the addition of items like the TreeLight Mount & Bergen temporary lighting.



CATHODIC

At King Innovation, protecting splices from harsh outdoor elements like water, temperature & corrosion is what we do best. In the cathodic market, we saw a need for an anode splice box to do just that, & our engineers developed the DryConn Visilock® with SmartGel® to meet this industry's requirements.



WATER UTILITY

King Innovation's interest in the water utility market was spiked when we realized contractors needed a better solution for waterproofing underground tracer wire splices. Our DryConn Direct Bury Lug Aqua ensures safe, waterproof & corrosion proof underground connections without having to cut the main line.



GAS UTILITY

King Innovation's interest in the gas utility market was spiked when we realized contractors needed a better solution for waterproofing underground tracer wire splices. Our DryConn Direct Bury Lug Yellow ensures safe, waterproof & corrosion proof underground connections without having to cut the main line maintaining the integrity of the communication signal.

CONTENTS

MARKETS WE SERVE	2
UL SAFETY	4
DRYCONN® WATERPROOF CONNECTORS	
Black Series	4
DBT-600 & DBR/Y-600.....	5
Xtreme Waterproof Connector.....	5
DBYN-600 & DBO/B-600	5
CPC-C & CPC-L	6
DBR/Y-600 Black.....	6
DBSR Black Medium	6
Dry-Crimp	6
KSC (King Shrink Crimp).....	7
Direct Bury GTSR w/Copper Crimps	8
Direct Bury GTSR	8
DB Power Connect.....	9
Blue/Blue	10
Low Voltage Tan	10
316 IR+	10
Gray/Gray	10
Direct Bury	18
IDC Connectors	22
King 6 Yellow & Blue	22
DB Lug Yellow & Aqua.....	22
DB Lug PLUS (Yellow & Aqua)	22
DBSR Yellow & Aqua	23
Split Bolt Housing Yellow & Aqua	23
HSC (Heat Shrink Crimp)	23
Visilock® w/SmartGel	23
ACE CONNECTORS™	7
BLAZING™ CONNECTORS	9
KING DRAINS®	11
SNAPTAP® SADDLES	12
BLAZING™ SADDLES	13
BLAZING™ FITTINGS	13
SIPHON KING®	
Siphon King Utility Pumps.....	14
Siphon King Replacement Parts	15
Siphon King Jr.	15
SAPLING SOAKER™	16
BALL BEARING PROBE	16
LEAK-B-GONE™	17
KING GRIPS® & REPLACEMENT PARTS	17
MESH GRIPS	17
GARDNER BENDER® CONNECTORS	18
CONTRACTORS' CHOICE® CONNECTORS	19
LIGHTING	19-21
TEST & MEASURE	24-28
TOOLS	29-34
ACCESSORIES	35-39
WIRE MANAGEMENT	40-42
MERCHANDISING DISPLAYS	43-46

CONTACT

42 N. Central Drive
O'Fallon, MO 63366

Phone: 800.624.4320

Fax: 262.649.7178

Email:

customer.service

@ecmindustries.com

Website:

kinginnovation.com

Technical Support:

877.771.8885



RESOURCES

KING
INNOVATION®
kinginnovation.com

GB
Gardner
Bender
gardnerbender.com

SPERRY
INSTRUMENTS
sperryinstruments.com

BERGEN
INDUSTRIES, INC.
bergeninc.com

CALTERM
calterm.com

ILSCO
connections—
matter
ilsco.com

The UL Listing is a standard of safety, a mark that guarantees reliable long-term waterproof connections. At King Innovation we maintain a research/development lab & manufacturing facility on-site in O'Fallon, MO to allow for rigorous testing & ongoing quality checks.

Why is UL so important to you?

Liability

Using a connector that does not meet the strict UL standard of quality means a huge liability risk. This risk is virtually eliminated with a UL Listed splice.

Quality

When working with electricity, an unreliable connector is just not an option. A UL listing means safe splices... which means safe irrigation, lighting & electrical systems.

Compliance

A UL connector ensures that you & your customers are in constant compliance with national & local electrical codes in wet, damp & direct bury applications.

What does King do to ensure quality?

Testing

The thorough DryConn testing process ensures that these connectors can withstand 2,200 VAC while submerged, are heat aged & can endure cold... & that's just the beginning.

Manufacturing

A controlled manufacturing process plus the use of superior materials allows DryConn connectors to meet stringent quality requirements. All processes take place in O'Fallon, MO for full visibility & regulation.

3rd Party Audits

Each quarter King is visited by a UL auditor who reviews the manufacturing processes to ensure our quality connector "recipe" is intact.

Never assume all connectors are created equally- that couldn't be further from the truth. Do your research. For a guaranteed safe connection, count on DryConn.

DRYCONN®
WATERPROOF CONNECTORS

Black® Series

The Original Black Connector*

- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid & stranded wire
- Impact resistant
- #1 in the industry
- Waterproof & corrosion proof
- One-step® installation saves time & money
- No pre-twisting required
- Pre-filled with dielectric silicone sealant that never hardens

SKU# 61135 Black/White- Bag of 25
SKU# 61145 Black/White- Bag of 100
SKU# 61146 Black/White- Canister of 150
SKU# 61148 Black/White- Canister of 500
SKU# 61235 Black/Gray- Bag of 20
SKU# 61241 Black/Gray- Canister of 100
SKU# 61242 Black/Gray- Canister of 500
SKU# 61245 Black/Gray- Bag of 100
SKU# 61335KI Black/Blue- Bag of 10
SKU# 61345 Black/Blue- Bag of 50
SKU# 61350 Black/Blue- Canister of 50

Black/White
Min #22/Max #12



Black/Gray
Min #22/Max #8



Black/Blue
Min #14/Max #6



All products
available in bags



All products
available in canisters



*THE COLOR BLACK IS A TRADEMARK OF
KING INNOVATION
MADE IN USA



DBT-600 (Tube with Tan Wing) & DBR/Y-600

(Tube with Red/Yellow Gorilla Nut)

Direct Bury Silicone Filled Tube with Strain Relief

- UL 486D Listed & 600V rated
- For use with solid & stranded wire
- Waterproof & corrosion proof
- Snap fit lid provides strain relief
- UV & impact resistant
- Pre-filled with silicone that never hardens
- Perfect for Two-Wire Decoder Systems

SKU# 20220 DBT-600- Bag of 2

SKU# 20225 DBT-600- Box of 100

SKU# 20230 DBR/Y-600- Bag of 2

SKU# 20235 DBR/Y-600- Box of 100



Min #22/Max #8

Red/Yellow Gorilla Nut also sold separately
in 100 piece box (#68210).

(See Price List for details)



Xtreme Waterproof Connector

- UL Listed & 600V Rated
- Waterproof & corrosion proof
- Patented snap fit lid provides strain relief
- UV & impact resistant
- Excellent for above ground & direct bury applications
- Pre-filled with silicone that never hardens
- Two part system includes DryConn Black/Gray Waterproof Connector & silicone filled tube
- Perfect for long term submersible applications

SKU# 20260 Xtreme Waterproof Connector- Bag of 2

SKU# 20265 Xtreme Waterproof Connector- Box of 100



Min #22/Max #8



DBYN-600 & DBO/B-600

(Tube with Orange/Blue Gorilla Nut)

Direct Bury Silicone Filled Tube with Strain Relief

- Perfect for use in two-wire decoder systems and direct bury applications
- For use with solid & stranded wire
- UL 486D Listed for waterproof & direct bury connections
- Max 600V
- UV resistant for above ground applications
- Pre-filled with dielectric silicone sealant that never hardens
- Snap fit lid provides strain relief

SKU# 20525 DBYN-600- Box of 100

SKU# 20635 DBO/B-600- Box of 100



Yellow Nut
Min #22/Max #12

Gorilla Nut
Min #22/Max #8

Orange/Blue Gorilla Nut also sold separately
in 100 piece box (#68110).

(See Price List for details)

U.S. Pat. 8,431,824 & additional Patents Pending apply. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

DRYCONN®
WATERPROOF CONNECTORS

CPC (Central Point Connector)

- Excellent for making central point connections in low voltage landscape lighting applications
- For use with solid & stranded wire
- Waterproof & corrosion proof
- Strain resistant tube is pre-filled with dielectric silicone sealant that never hardens

- Secure mechanical connection
- Max 50 Volts
- Manufacturer approved for direct bury
- UV & impact resistant
- Blends into landscape, even when not buried

SKU# 20810 CPC-C (with Crimps)- Box of 25

CPC-C (with Crimps)
Min #18/Max #10



DRYCONN®
WATERPROOF CONNECTORS

DBR/Y-600 Black (Tube with Red/Yellow Gorilla Nut)

Direct Bury Silicone Filled Tube with Strain Relief

- UL 486D Listed & 600V rated
- For use with solid & stranded wire
- Waterproof & corrosion proof

- Snap fit lid provides strain relief
- UV & impact resistant
- Pre-filled with silicone that never hardens

SKU# 20250 DBR/Y-600 Black- Bag of 2

SKU# 20255 DBR/Y-600 Black- Box of 100

Min #22/Max #8



DRYCONN®
WATERPROOF CONNECTORS

DBSR® Black Medium Direct Bury Twist-on with Strain Relief

- Waterproof & corrosion proof
- Pre-filled w/ dielectric silicone sealant that never hardens
- Easy latch lid provides strain relief

- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid & stranded wire

SKU# 63415 DBSR Black Medium- Canister of 15

SKU# 63475 DBSR Black Medium- Box of 100

U.S. Pat. 7,170,005; 6,815,616; 7,122,742 & additional Patents Pending apply.
All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

Min #22/Max #6



MADE IN USA

DRYCONN®
WATERPROOF CONNECTORS

Dry-Crimp Connectors

- Crimp style wire connector
- For use with solid & stranded wire
- Copper crimp with protective housing
- Protective housing contains dielectric silicone sealant to protect & waterproof splice
- Holes in connector housing seal around wire to protect silicone from escaping & continuously encapsulate splice
- Two crimp sizes available to cover a wire range from #18 - #10 AWG
- Item sold with both filled & unfilled housing
- Silicone sealant also available sold separately
- Manufacturer approved for direct bury
- Quick, secure connections
- Allows installer to test connection prior to waterproofing splice
- For use in irrigation systems & low voltage lighting applications

Pre-Filled



Non-Filled
Silicone sealant
sold separately



SKU# 20240 Dry-Crimp Non-Filled Connectors- Bag of 25 Splices

SKU# 20245 Dry-Crimp Filled Connectors- Bag of 25 Splices

SKU# 20248 Silicone Sealant- 1- 5.3oz Tube



Crimp Dry-Crimp connectors using
the 4-Way Crimp Tool (#46540).
(See page 29 for 4-Way Crimp Tool)

KSC (King Shrink Crimp)

- For use in landscape lighting or wherever an in-line electrical splice is required
- For use with solid & stranded wire
- Crimp style connector with waterproof heat shrink
- Use with King Krimper tool (#46550) & Mini-Torch (#43010)

SKU# 72010 KSC-1 (Extra Small)- Bag of 20

SKU# 72020 KSC-2 (Small)- Bag of 20

SKU# 72030 KSC-3 (Medium)- Bag of 20

SKU# 72040 KSC-4 (Large)- Bag of 8



Visit www.kinginnovation.com/ksc-king-shrink-crimp-connectors for a complete list of KSC wire combinations

KSC Connector Chart

KSC Connector	King Krimper Size
KSC-1	1.25mm
KSC-2	5.5mm, if using 1#18 use 2mm
KSC-3	8mm
KSC-4	14mm



Crimp KSC connectors using the ratcheting King Krimper tool (#46550).
(See page 27 for King Krimper)

ACE CONNECTOR™

Low Voltage Landscape Lighting Fitting

- Solid brass lug
- For use with solid & stranded wire
- Fast curing heat shrink with adhesive lining
- Weather resistant to withstand outdoor elements
- For use in low voltage landscape lighting & direct bury applications
- Set screw thread pitch allows tighter securing of wires



SKU# 90320 Small ACE Connector*- Box of 50

SKU# 90325 Small ACE Connector*- Bag of 2

SKU# 90330 Medium ACE Connector*- Box of 50

SKU# 90335 Medium ACE Connector*- Bag of 2

SKU# 90340 Large ACE Connector- Box of 50

SKU# 90345 Large ACE Connector- Bag of 2



Small ACE*
Min #18/Max #12



Medium ACE*
Min #18/Max #8



Large ACE
Min #18/Max #8

*UL1838 Compliant

All trademarks, U.S. & Foreign apply. All rights reserved.

LV9000 & LV9500

Wire Connectors


Waterproof Wire Connectors

- For use in irrigation systems, low voltage lighting, security systems & telephone wire splices
- For use with solid & stranded wire
- For use in boats, recreational vehicles & heavy construction equipment
- Silicone filled, snap-locking connector
- Not for high-voltage connections (Max 30V, 10AMPS)

Low Voltage Series (LV)

SKU# LV9000 Yellow- Package of 24

SKU# LV9500 Black- Package of 12



LV9000
Min #24/Max #18



LV9500
Min #18/Max #10



Direct Bury GTSR with Copper Crimps

Grease Filled Tube with Copper Crimp Connector

- Pre-filled with petroleum grease that never hardens
- For use with solid & stranded wire
- Waterproof & corrosion proof
- Easy-latch lid provides strain relief
- Includes copper crimp connector
- Manufacturer approved for direct bury
- Perfect for low voltage applications up to 50V

SKU# 20215 GTSR GTSR w/ Crimps - Bag of 25



Crimp Direct Bury GTSR with Copper Crimps connectors using the 4-Way Crimp Tool (#46540).
(See page 29 for 4-Way Crimp Tool)



Direct Bury GTSR

Grease Filled Tube with Strain Relief

- Pre-filled with petroleum grease that never hardens
- For use with solid & stranded wire
- Waterproof & corrosion proof
- Easy-latch lid provides strain relief
- Includes orange or yellow nut for wire splicing
- Manufacturer approved for direct bury
- Perfect for low voltage applications up to 50V

SKU# 20205 GTSR w/Orange Nut- Bag of 25

SKU# 20210 GTSR w/Yellow Nut- Bag of 25



Orange Nut
Min #22/Max #14

Yellow Nut
Min #18/Max #10



SnapLoc™ Wire Connectors

Waterproof Wire Connectors

- For use in irrigation (BVS) & landscape lighting (BLS) applications
- For use with solid & stranded wire
- No tools required
- Silicone filled connector
- Safe, fast & reliable
- Strong wire restraint
- BVS1: Max 30V
- BVS2: Max 30V
- BLS10: Max 15V, 10AMPS

Blazing Valve Splice (BVS)

SKU# BVS1 Clear & Blue- Package of 25

SKU# BVS2 Clear & Yellow- Package of 20

Blazing Lighting Splice (BLS)

SKU# BLS10 Brown- Package of 10



TwiztLoc™ Wire Connectors

- Silicone filled connector
- For use with solid & stranded wire
- For use in irrigation & landscape lighting applications
- For low voltage applications (30V Max, 10 Amps)

TwiztLoc Connector (TLC)

SKU# TLC10 Blue/Yellow- Package of 200

SKU# TLC10-25 Blue/Yellow- Package of 25

SKU# TLC20 Gray/Yellow- Package of 100

SKU# TLC20-15 Gray/Yellow- Package of 15



DB Power Connect

Direct Bury Power Connector

- Designed for use in direct bury line voltage applications or in irrigation systems
- For use with solid & stranded wire
- Pre-filled with a non-toxic SmartGel®
- Waterproof & corrosion proof
- For use in outdoor or direct burial locations
- UV & impact resistant
- Eliminates the need for heat shrinks, primers, tapes, resins, & epoxy packs
- Rated up to 600V

SKU# 98105 DB Power Connect- Bag of 3



DRYCONN® WATERPROOF CONNECTORS

Blue/Blue

- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid & stranded wire
- Waterproof & corrosion proof
- One-step® installation saves time & money
- No pre-twisting required
- Pre-filled with dielectric silicone sealant that never hardens

SKU# 10222 Blue/Blue Low Voltage- Bag of 20

SKU# 10241 Blue/Blue Low Voltage- Canister of 100



Min #22/Max #12

MADE IN USA

DRYCONN® WATERPROOF CONNECTORS

Tan Low Voltage

- Waterproof & corrosion proof
- Pre-filled with dielectric petroleum sealant that never hardens
- Suitable for low voltage applications including irrigation systems
- For use with solid & stranded wire
- One-step installation saves time & money
- No pre-twisting required
- Eliminates the need for multi-step products
- For low voltage applications (30V Max, 10 Amps)

SKU# 20101 Tan Low Voltage - Card of 4

SKU# 20111 Tan Low Voltage - Bag of 15

SKU# 20122 Tan Low Voltage - Bag of 50

SKU# 20136 Tan Low Voltage - Canister of 50



Min #22/Max #6

MADE IN USA

DRYCONN® WATERPROOF CONNECTORS

316 IR+

- No need to strip wires
- For use with solid & stranded wire
- Pre-filled with dielectric silicone sealant that never hardens
- Max Voltage: 600V
- Manufacturer approved for low voltage (30V) wet, damp & direct bury applications
- UV & impact resistant

SKU# 98230 316 IR+- Bag of 30



Min #22/Max #14

U.S. Patent Number 9,496,626. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

DRYCONN® WATERPROOF CONNECTORS

Gray/Gray

- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid and stranded wire
- Waterproof and corrosion proof
- Pre-filled with dielectric silicone sealant that never hardens
- One-step installation saves time and money
- No pre-twisting required

SKU# 10111 Gray/Gray- Bag of 20



Min #22/Max #12

MADE IN USA

KING DRAINS®

Soft Grip Drain

- Ergonomic soft grip design makes for comfortable, slip-free installation
- Complements end-of-season blow-outs to remove residual water from irrigation systems & provide freeze protection
- Utilized for both main & lateral line applications
- Backflow check prevents contamination
- Broad dispersing pad protects against root & soil penetration
- Self-cleaning dirt arrestor screen prevents clogging of drain
- Pressure sensitive valve releases water slowly at root level



SKU# 22163 1/2" MPT- Bag of 25

SKU# 23167 3/4" MPT- Bag of 25

U.S. Patent Numbers 6,886,585 & D568,450. All Rights Reserved.

KING DRAINS®

End of Line Drain

- Designed for 3/4" or 1" poly pipe
- Complements end-of-season blow-outs to remove residual water from irrigation systems & provide freeze protection
- Pressure sensitive valve releases water slowly at root level
- Self-cleaning dirt arrestor screen prevents clogging of drain



1" MPT x 1" INS

3/4" x 1/2" FPT



1" x 1/2" FPT



1" x 3/4" FPT



SKU# 15140 3/4" x 1/2" FPT- Bag of 10

SKU# 16142 1" x 1/2" FPT- Bag of 10

SKU# 17145 1" x 3/4" FPT- Bag of 10

SKU# 21155 1" MPT x 1" INS- Bag of 5

U.S. Pat. 6,886,585 & D568,450. All Rights Reserved.

SnapTap[®] PRO

- Tap is threaded to handle 90° Elbow, Straight Barb, or appropriate sprinkler heads
- Ergonomic hurricane handle to cushion fingers & provide maximum comfort
- Superior strength patented "cutting tip" cleanly cuts polyethylene pipe for a tight seal every time
- Push-on saddle for the fastest installation possible

SKU# 22710 1" Saddle w/ 1/2" FPT Tap- Bag of 25
 SKU# 22715 1" Saddle w/ 1/2" 90° Elbow- Bag of 25
 SKU# 22720 1" Saddle w/ 1/2" Straight Barb- Bag of 25

FPT Tap
1/2" or 3/4"



90° Elbow



Straight Barb



U.S. Pat. 6,510,865. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

MADE IN USA

SnapTap[®] SADDLES

- Ergonomic handle with 50% more surface area to cushion fingers & provide maximum comfort
- #1 in comfort & durability
- No tools, fittings, or clamps needed
- Ergonomic hurricane handle provides comfortable, quick rotations
- Short thread design allows for the quickest, easiest installation possible without dirt or pebble clogging
- Patented cutting tip cleanly cuts polyethylene pipe for a tight seal every time
- Side snap latch provides a visible, secure connection
- Shorter working height requires less digging
- For both 80# & 100# 1" Poly Pipe

SKU# 22310 1" Saddle w/ 1/2" FPT Tap- Bag of 25
 SKU# 22315 1" Saddle w/90° Elbow- Bag of 25
 SKU# 22320 1" Saddle w/Straight Barb- Bag of 25



FPT Tap
1/2" or 3/4"



90° Elbow



Straight Barb



U.S. Pat. 6,510,865 & 6,767,033. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.



SnapTap[®] SADDLES

- Ergonomic handle with 50% more surface area to cushion fingers & provide maximum comfort
- Universal adjustable latch provides a visible, secure connection
- Fits 3/4", 1" & 1 1/4" Poly (PE) Pipe
- Installation requires no fittings, no clamps
- Patented cutting tip cleanly penetrates for a tight seal every time

SKU# 22510 1/2" FPT Tap- Bag of 25
 SKU# 22515 w/90° Elbow- Bag of 25
 SKU# 22520 w/Straight Barb- Bag of 25

FPT Tap



90° Elbow



Straight Barb



U.S. Pat. 6,510,865. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

BLAZING SADDLES™

Saddles for Polyethylene Pipe

The fastest self-tapping saddle

- For use on 3/4" to 1 1/2" Poly & metric equivalents
- No clamping, coring, or cutting required
- Optimal sprinkler head flow, delivers more than 7 gallons per minute at 40 PSI & 12 Gallons Per Minute at 60 PSI
- Barbed fitting is a secure fit & easy installation without tools
- Made of high impact ABS

■ ■ ■ = Tap Color

U.S. Pat. 6,216,723, 6,357,472, 6,773,036, & other patents pending.



3/4" Polyethylene

- SKU# BS4010 Swing Pipe Barb- Bag of 25
- SKU# BS5000 1/2" FPT- Bag of 25
- SKU# BS6000 3/4" FPT- Bag of 25
- SKU# BS5500 Swing Pipe Barb L- Bag of 25

1" Polyethylene

- SKU# BS7000 1/2" FPT- Bag of 25
- SKU# BS8000 3/4" FPT- Bag of 25
- SKU# BS9000 Swing Pipe Barb- Bag of 25
- SKU# BS7500 Swing Pipe Barb L- Bag of 25
- SKU# BS9999 17mm Drip Barb- Bag of 25

1 1/4" Polyethylene

- SKU# BS12500 1/2" FPT- Bag of 25
- SKU# BS12750 3/4" FPT- Bag of 25
- SKU# BS12900 Swing Pipe Barb- Bag of 25

25mm Metric Polyethylene

- SKU# BS2550 1/2" FPT- Bag of 25
- SKU# BS2575 3/4" FPT- Bag of 25
- SKU# BS2590 Swing Pipe Barb- Bag of 25

32mm Metric Polyethylene

- SKU# BS3350 1/2" FPT- Bag of 25
- SKU# BS3375 3/4" FPT- Bag of 25
- SKU# BS3390 Swing Pipe Barb- Bag of 25

40mm Metric Polyethylene

- SKU# BS12900 Swing Pipe Barb- Bag of 25

BLAZING SADDLES™

Saddles for PVC Pipe

- The fastest self-tapping saddle
- For use on 3/4" to 1 1/4" Class PVC pipe
- No clamping, coring, or cutting required
- Optimal sprinkler head flow, delivers more than 7 gallons per minute at 40 PSI & 12 Gallons Per Minute at 60 PSI
- Barbed fitting is a secure fit & easy installation without tools
- Made of high impact ABS

■ ■ ■ = Tap Color

U.S. Pat. 6,216,723, 6,357,472, 6,773,036, & other patents pending.



3/4" PVC

- SKU# BS4PVC Swing Pipe Barb- Bag of 25
- SKU# BS5PVC 1/2" FPT- Bag of 25
- SKU# BS6PVC 3/4" FPT- Bag of 25
- SKU# BS55PVC Swing Pipe Barb L- Bag of 25

1" PVC

- SKU# BS7PVC 1/2" FPT- Bag of 25
- SKU# BS8PVC 3/4" FPT- Bag of 25
- SKU# BS9PVC Swing Pipe Barb- Bag of 25
- SKU# BS75PVC Swing Pipe Barb L- Bag of 25

1 1/4" PVC

- SKU# BS1250P 1/2" FPT- Bag of 25
- SKU# BS1275P 3/4" FPT- Bag of 25
- SKU# BS1290P Swing Pipe Barb- Bag of 25

Spike Tool included in Poly & PVC bags- where applicable




BLAZING FAST FITTINGS™

No tools, clamps or extra fittings.

- Max Operating Pressure: 80 PSI for #80 pipe; 100 PSI for #100 pipe; 160 PSI for #160 pipe
- Suggested Operating Pressure: 10-80 PSI
- Burst Pressure: Exceeds 450 PSI (This product is not intended to be used on Main Lines or under constant pressure)
- Body Material: ABS
- O-Ring Material: EPDM
- Flow Rates are comparable to traditional insert fittings
- Friction Loss is comparable to traditional insert fittings

- SKU# BLZ1401-010 1" x 1" x 1" Insert Tee- Bag of 25
- SKU# BLZ1401-129 1" x 1" x 1" x 1" Swing Pipe Barb Tee- Bag of 25
- SKU# BLZ1402-130 1" x 1" x 1/2" FPT Tee- Bag of 25
- SKU# BLZ1406-010 1" x 1" Insert Elbow- Bag of 25
- SKU# BLZ1407-130 1" x 1/2" FPT Insert Elbow- Bag of 25
- SKU# BLZ1429-010 1" x 1" Insert Coupler- Bag of 25
- SKU# BLZ1429-129 1" x 1" x 1" Swing Pipe Barb End of Line- Bag of 25
- SKU# BLZ1429-130 1" Poly Insert x 17mm Drip Pipe Fitting- Bag of 25
- SKU# BLZ1436-010 1" x 1" MPT Insert Male Adapter- Bag of 25
- SKU# BLZPSC-010 1" x 1" Insert Poly Stretch Coupler- Bag of 5
- SKU# EL1009 1" x Swing Pipe Barb End of Line- Bag of 25
- SKU# BLZ100 1" x Many Insert Fitting- Bag of 25
- SKU# SBDC1 Spiral Barb x 17mm Drip Coupling- Bag of 25



U.S. Pat. 8,662,541, 9,297,486, 9,593,789, D709,994, 8,596,691, 8,172,276.
All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.



Siphon King® Utility Pumps

- Corrosion proof
- Provides quick removal of water
- Self-priming, lightweight utility pump
- High strength, ergonomic handle can withstand extreme temperatures & harsh usage
- 36" pump provides quick removal of 1 gallon in 4 strokes
- 24" extension available; fits on to existing pump to access hard to reach areas
- Steel shaft improves strength
- Flexible discharge hose for directing water evacuation
- Removable intake foot for easy cleaning
- Perfect for removing water from valve boxes, meter pits, pipe trenches, & anywhere water accumulates



Siphon King® Display Rack

(See page 45 for details)

- SKU# 48024 24" Pump x 36" Hose- Quantity 1
- SKU# 48036 36" Pump x 36" Hose- Quantity 1
- SKU# 48072 36" Pump x 72" Hose- Quantity 1
- SKU# 48230 24" Pump Extension- Quantity 1




U.S. Pat. 7726,231. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

Siphon King® Syringe Sucker

- For use in small spaces, including golf valve bodies, meter pits, narrow trenches, etc.
- 3/4" barb fitting with 12" pipe attachment
- Replace 12" pipe with any length funny pipe for maximum flexibility & reach


SKU# 48215 Syringe Sucker- Card of 1



Siphon King® Pump Assembly Foot

- Screws on easily
- Works with all Siphon King Utility Pumps

SKU# 48205 Pump Assembly Foot- Bag of 1



Siphon King® 72" Extension/Replacement Hose with Coupler

- 72" flexible hose directs water away from work site
- Coupler provides extension to existing pump hose

SKU# 48272 72" Extension/Replacement Hose- Bag of 1



Siphon King® Jr.

- Intake & discharge transfer system
- May be used to transfer liquids, remove water, change oil, siphon gas, or inflate small objects
- Complete with two 50" siphon hoses, a dipstick tube, and an air pressure hose

SKU# 48050 Siphon King Jr. with 50" Hose- Pkg of 1





- Heavy duty PVC
- UV resistant
- Max gallons: 15
- Max tree size: 1" - 4" diameter
- Max tree size can be doubled by zipping two Sapling Soaker bags together
- 5-9 hours of drip time
- Slow release emitters for even water distribution

SKU# 44020 Sapling Soaker- Bag of 1



Built in emitters for even water distribution (image not to scale)

U.S. Pat. 10,517,239. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.



- Heavy duty polyethylene
- UV resistant
- Max gallons: 20
- Max tree size: 6" diameter
- Heavy duty Velcro strap secures Sapling Soaker in high winds preventing blow away
- 5-8 hours of drip time
- 1/4 turn cap for quick fill
- Slow release emitters for even water distribution

SKU# 44010 Sapling Soaker Ring- Bag of 1




Built in emitters for even water distribution (image not to scale)

U.S. Pat. 9,468,165. All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

Ball Bearing Probe

- Use to locate sprinkler lines, measure moisture penetration, or avoid roots, pipe & rocks when digging
- Rounded head reduces risk of damage to tree roots, wires, pipelines, etc.
- Made of durable steel
- Lightweight for easy portability
- For commercial or residential use
- 48" long probe



SKU# 25210 Ball Bearing Probe- Unit of 1

MADE IN USA

LEAK-B-GONE™

PVC LEAK STOPPER RING

- 60 second solution to repair leaking PVC joints
- Available in seven sizes, for 3/4", 1", 1 1/4", 1 1/2", 2", 3", & 4" PVC pipe
- Easy installation, no tools required
- Provides 360° leak protection, tested to 200 PSI
- For commercial & residential use

SKU# 45015 3/4" Rings- Bag of 10

SKU# 45020 1" Rings- Bag of 10

SKU# 45025 1 1/4" Rings- Bag of 10

SKU# 45030 1 1/2" Rings- Bag of 10

SKU# 45035 2" Rings- Bag of 10

SKU# 45040 3" Rings- Bag of 10

SKU# 45045 4" Rings- Bag of 10

SKU# 45050 Assorted 3/4", 1", 1 1/4" & 1 1/2" Rings- Bag of 4


SKU# 45055 Assorted 2", 3" & 4" Rings- Bag of 3



U.S. Pat. 8,371,622, 8,579,296, 8,608,179 & all other trademarks, U.S. & Foreign Patents apply. All Rights Reserved.

KING GRIPS

- Quick coupling & release saves time
- No steel splinters
- Fits all pipe pulling equipment
- Plated for rust prevention
- No tape required
- Available in a convenient kit
- For 3/4" to 2" Polyethylene Pipe & 3/4" to 4" PVC Pipe
- Durable, closed-end design protects pipe from soil entry
- Minimum pipe grip eliminates wasted pipe material



SKU# 81701 1" 2" Diameter Bullet with 1" to 1 1/2" Shaft, 1" Grip Only- QTY 1

SKU# 81315 1" Chain with Male & Female Adapter 3/4" Hex Stock- QTY 1

SKU# 81314 Female Adapter 3/4" Hex Stock- QTY 1

SKU# 81311 1" Heavy Duty Chain with ML & FML Adapter 1" Hex Stock- QTY 1

SKU# 81801 1" PVC Kit Grip & Chain- QTY 1

SKU# 81802 1" 80# Poly Kit Grip & Chain- QTY 1

SKU# 81803 1" 100# Poly Kit Grip & Chain- QTY 1

SKU# QA5562 10" Set Wrench, Extends life of grips- QTY 1

See price list for a complete list of SKU's

MADE IN USA

Mesh Grips

- For pulling irrigation PVC & Poly Pipe, directional boring pull backs, insulated wire, wire rope, tubing, & bare conductors
- Reusable
- Available with swivels built into grip
- Coated galvanized cable
- Reverse weave & single wire bail
- Work load capacity of 1,500 to 3,500 lbs
- Various grip lengths, pipe ranges, & weaves available



See price list for a complete list of SKU's

MADE IN USA

IRRIGATION


DRYCONN® WATERPROOF CONNECTORS

Direct Bury

- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid & stranded wire
- Pre-filled with dielectric silicone sealant that never hardens
- Waterproof & corrosion-proof
- One-step® installation saves time & money
- No pre-twisting required

SKU# 10444 King 4 Yellow- Bag of 10
 SKU# 10555 King 5 Red- Bag of 10
 SKU# 10600 King 6 Blue- Card of 2
 SKU# 10666 King 6 Blue- Bag of 10
 SKU# 10670 King 6 Blue- Box of 100
 SKU# 10990 King 9 Dark Blue- Card of 2
 SKU# 10999 King 9 Dark Blue- Bag of 8
 SKU# 10975 King 9 Dark Blue- Box of 75

*King 5 Red
Min #14/Max #10



*King 4 Yellow
Min #18/Max #12



*King 6 Blue
Min #22/Max #8



King 9 Dark Blue
Min #14/Max #6



*MADE IN USA



- Designed for conventional copper/copper dry splices
- For use with solid & stranded wire (except PushGard- solid wire only)
- Available in nut, wing & push-in style
- Industry color coded
- Suitable for wire combinations from #22 - #10
- Nut & wing style connectors feature a zinc plated spring & a flame retardant housing
- Push-in style connectors feature a continuity test point for easy voltage checks
- Perfect for indoor, dry applications for both commercial & residential installation/repairs

WireGard™

SKU# 10-003HT WireGard High Temp Black Nut- Box of 100
 SKU# 10-001 WireGard Gray Nut- Box of 100
 SKU# 14-001 WireGard Gray Nut- Bag of 1,000
 SKU# 10-002 WireGard Blue Nut- Box of 100
 SKU# 14-002 WireGard Blue Nut- Bag of 1,000
 SKU# 25-003 WireGard Orange Nut- Bag of 25
 SKU# 17-003 WireGard Orange Nut- Bag of 50
 SKU# 10-003 WireGard Orange Nut- Box of 100
 SKU# 13-003 WireGard Orange Nut- Bag of 500
 SKU# 25-004 WireGard Yellow Nut- Bag of 25
 SKU# 17-004 WireGard Yellow Nut- Bag of 50
 SKU# 10-004 WireGard Yellow Nut- Box of 100
 SKU# 13-004 WireGard Yellow Nut- Bag of 500
 SKU# 10-006 WireGard Red Nut- Box of 100
 SKU# 13-006 WireGard Red Nut- Bag of 250



WingGard Ultra™

SKU# 17-084 WingGard Ultra Yellow Wing- Bag of 50
 SKU# 10-084 WingGard Ultra Yellow Wing- Box of 100
 SKU# 13-084 WingGard Ultra Yellow Wing- Bag of 500
 SKU# 12-084BU WingGard Ultra Yellow Wing- Barrel of 42,000
 SKU# 17-086 WingGard Ultra Red Wing- Bag of 50
 SKU# 10-086 WingGard Ultra Red Wing- Box of 100
 SKU# 13-086 WingGard Ultra Red Wing- Bag of 500
 SKU# 12-086BU WingGard Ultra Red Wing- Barrel of 22,500
 SKU# 10-089 WingGard Ultra Blue Wing- Box of 50
 SKU# 13-089 WingGard Ultra Blue Wing- Bag of 100



GreenGard™

SKU# 25-095 GreenGard Green Wing- Bag of 25
 SKU# 13-095 GreenGard Green Wing- Box of 500


Hex-Lok Ultra®

SKU# 10-1H1 Hex-Lok Ultra Tan Wing- Box of 100
 SKU# 13-1H1 Hex-Lok Ultra Tan Wing- Bag of 500
 SKU# 12-1H1BU Hex-Lok Ultra Tan Wing- Barrel of 28,000



PushGard™

SKU# 10-PC2 PushGard Yellow Push-In- Jar of 100
 SKU# 10-PC3 PushGard Orange Push-In- Jar of 100
 SKU# 10-PC4 PushGard Yellow Push-In- Jar of 100
 SKU# 10-PC8 PushGard Black Push-In- Jar of 50



Contractors' CHOICE®



- Designed for conventional copper/copper dry splices, available in nut, wing & push-in style
- Tough Thermoplastic Flame Retardant Shell
- Industry color-coded & suitable for wire combinations from #22 through #12
- Steel plated spring & flame-retardant housing

Wing Connectors

SKU# 67071 Yellow Wing- Bag of 500
SKU# 67075 Yellow Wing- Box of 100
SKU# 67081 Tan Wing- Bag of 500
SKU# 67085 Tan Wing- Box of 100
SKU# 67091 Red Wing- Bag of 500
SKU# 67095 Red Wing- Box of 100
SKU# 27145 Green Wing- Bag of 500
SKU# 67111 Blue Wing- Bag of 100
SKU# 67115 Blue Wing- Box of 50



Nut Connectors

SKU# 67011 Gray Nut- Bag of 1,000
SKU# 67015 Gray Nut- Box of 100
SKU# 67021 Blue Nut- Bag of 1,000
SKU# 67025 Blue Nut- Box of 100
SKU# 67031 Orange Nut- Bag of 500
SKU# 67035 Orange Nut- Box of 100
SKU# 67041 Yellow Nut- Bag of 500
SKU# 67045 Yellow Nut- Box of 100
SKU# 67051 Red Nut- Bag of 500
SKU# 67055 Red Nut- Box of 100

Push-In Connectors

SKU# 67205 Yellow 2 Port Push-In- Box of 100
SKU# 67215 Orange 3 Port Push-In- Box of 100
SKU# 67225 Clear 4 Port Push-In- Box of 75
SKU# 67235 Blue 5 Port Push-In- Box of 50
SKU# 67245 Purple 6 Port Push-In- Box of 50



TreeLight Mount™

Great for creating a downlight effect in trees

- Mount most landscape lighting fixture brands to trees for a downlight effect
- Landscape lighting fixture attaches to a 1/2" NPT threaded female fitting
- Internal 5/16" hex head allows for fast installation with drill & nut driver bit
- 100% stainless steel with bronze powder coat finish
- 3.5" stand-off bolt accommodates for many years of tree growth
- Eco-friendly design will not damage trees
- Lasts as long as the LED light you are installing
- No yearly maintenance
- Mono (single point) installation makes the TreeLight less likely to infect a tree
- Pass through slot accommodates prewired fixtures
- 4" TreeLight Mount perfect for mounting to smaller diameter trees/limbs, decks, docks, pergulas, facias, soffits, etc.



U.S. Pat. 8,967,564 B2. All Rights Reserved.
(See page 43 for merchandise display)

SKU# 25110 7" TreeLight Mount - Bag of 1
SKU# 25114 4" TreeLight Mount - Bag of 1

Works Great With:

Small KSC Connector



See page 7
for product
details

Small ACE Connector



See page 8
for product
details

Splice Butt Heat Shrink



See page 37
for product
details



20 Watt LED Battery Operated Work Light with Bluetooth Speaker

GB brings together two of the most popular technologies into one easy to use portable device. The new GWL-20BT 20-Watt LED Work Light produces over 2000 lumens & includes two built-in 3-watt Bluetooth speakers. Whether you are on a commercial jobsite or working on a project around the home, this work light will make every job more enjoyable & easier to complete.

- 2 Bluetooth speakers
- USB accessory charger - 4 hours charging time
- Features quick release locking & rotating kickstand with mounting bracket
- Battery life 3-6 hours
- 6000K Color Temperature - Natural Day Light

SKU# GWL-20BT 20 Watt Work Light - Box of 1



30 Watt Heavy Duty Battery Operated LED Work Light

GB continues to bring innovation & durability to the jobsite & around the home. The new Heavy Duty GWL-30HD Work Light offers 30-watt & 3000 lumens to light up any project. It also offers one of the most durable body frames for portable work lights with a drop test rating of 25 feet. An IP65 weather-resistant casing & covers make it ideal for outdoor use. The USB accessory charger provides up to 3 hours of charging time.

- Water resistant & 25 ft. drop test
- Features quick release locking & rotating kickstand with mounting bracket
- USB accessory charger - 3 hour charging time
- Water resistant charger cover
- 3000 Lumens, 30 Watts

SKU# GWL-30HD 30 Watt Work Light - Box of 1



40 Watt LED Work Light

GB's 40-Watt Multi-Task Work Light combines multiple features to suit the needs of nearly all applications. The GWL-40 includes a 10 ft. power cord with a 4.5 ft. extension cord to provide power to other tools needed on the job. With 4 industrial grade magnets on the back, the unit can be easily mounted when space is limited, or the kickstand can be used on a table or floor.

- 90 degree directional LED swivel light
- Built-in stand & power cord caddy
- 4 heavy duty magnets for mounting
- 40 watts / 3800 lumens
- 10 ft power cord with a 4.5 ft extension cord to provide power to other tools needed for the job

SKU# GWL-40 40 Watt Work Light - Box of 1



K5 LED High Bays PRO 30 Watt Light

Bergen's construction grade Temporary High Bays are designed for the job site but offer portability that make it easy to use for do-it-yourself & FarmAg applications. Includes stainless steel reinforced cages, heavy-duty carabiner hook, Daisy-chain, 10ft. 18/3 SJTW power cord.

Bergen Temporary High Bays are an energy saving & long life solution to replace traditional HID & CFL work lights.

- Rated up to 50,000 life hours
- Lumens range from 4000 to 13,000
- Heavy duty, durable design
- Easy portability, light weight
- All-Weather Applications, IP65
- UL & OSHA Compliant
- 10' power cord with extra 1' daisy cord to allow for daisy chain applications
- Daisy-Chain Multiple units & control from a single switch
- 5 Year Warranty

SKU# K5-30 - K5 LED 30 Watt High Bays PRO Light - Box of 1



K5 LED High Bays PRO 60 Watt Light

Bergen's K-Series LED work light is a low cost energy efficient solution for new build construction/ renovation projects & permanent lighting in warehouse, maintenance, storage & tent spaces. Easy to install, portable, versatile & light weight. Use as floor light, table top light or hang using the provided snap-lock hook. 130-Lumen per watt provides brilliant white illumination. Up to 85% energy savings, this LED work light has no filament or glass shell, no lead, no UV, no radiation & no flicker or glare.

- Omni-directional luminaire; directs 100% of the light outward & downward
- 10 ft. power cord/1 ft. female daisy-chain
- For spaces with ceiling heights higher than 20 ft.

SKU# K560 - K5 LED 60 Watt High Bays PRO Light - Box of 1

SKU# K5100 - K5 LED 100 Watt High Bays PRO Light - Box of 1

SKU# LL20 - LED 20 Watt Small Area Work Light - Box of 1

SKU# GL5CM - Magnet O-Ring Hooks - Bag of 5



DRYCONN® WATERPROOF CONNECTORS

IDC Connectors (Insulation Displacement Connectors)

- No need to strip wires
- For use with solid/stranded wire & steel core/copper clad steel
- Waterproof & corrosion proof
- Install service line without cutting the main line
- Manufacturer approved for direct bury
- Designed for low voltage tracer splices & cathodic applications up to 50V

SKU# 98305 IDC Yellow- Bag of 5

SKU# 98405 IDC Aqua- Bag of 5

IDC Yellow
Min #14/Max #12

IDC Aqua
Min #14/Max #12



U.S. Pat. 9,496,626 & additional Patents Pending apply.
All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

DRYCONN® WATERPROOF CONNECTORS

King 6 Connectors


- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid/stranded wire & steel core/copper clad steel
- Temperature Rating: 105°C (221°F)
- Silicone Sealant: -45°F to 400°F
- Designed for tracer splices & cathodic applications

SKU# 10666 King 6 Blue- Bag of 10

SKU# 31556 King 6 Yellow- Bag of 10

King 6 Yellow
Min #22/Max #8

King 6 Blue
Min #22/Max #8



MADE IN USA

DRYCONN® WATERPROOF CONNECTORS

Direct Bury Lugs

- Waterproof & corrosion proof
- For use with solid/stranded wire & steel core/copper clad steel
- Pre-filled with dielectric silicone sealant that never hardens
- Install service line without cutting the main line
- Installs in one minute or less
- Manufacturer approved for direct bury
- Silicone Sealant Temperature Rating: -45°F to 400°F
- Designed for low voltage tracer splices and cathodic applications up to 50V

SKU# 90120 DB Lug Yellow- Bag of 5

SKU# 90220 DB Lug Aqua- Bag of 5

DB Lug Yellow
Min #14/Max #10

DB Lug Aqua
Min #14/Max #10



Strip main tracer wire using the
TaskMaster Stripping Tool (TST-CJ29PRO)
(See page 32 for TaskMaster Stripping Tool)

U.S. Pat. 7,044,776, 7,677,932, 7,223,132,
7,507,126, 7,988,503 & additional Patents
Pending apply. All other trademarks, U.S. &
Foreign Patents apply. All Rights Reserved.

DRYCONN® WATERPROOF CONNECTORS

Direct Bury Lugs Plus

#14-8 Solid Copper

#14-6 Stranded Copper

#14-10 Steel Core Tracer Wire (CCS)


- Waterproof & corrosion proof
- For use with solid/stranded wire & steel core/copper clad steel
- Install service line without cutting the main line
- One piece for easy installation
- Installs in one minute or less
- Designed for use with solid tracer & cathodic wires
- High impact housing with user friendly design to prevent cuts or handling discomfort
- Use with low voltage tracer & cathodic lines under 50 volts
- Pre-filled with silicone
- Approved for direct bury

SKU# 90740 DB Lug Plus (Yellow)- Bag of 5

SKU# 90750 DB Lug Plus (Aqua)- Bag of 5

DB Lug Plus (Yellow)

DB Lug Plus (Aqua)



Strip main tracer wire using the
TaskMaster Stripping Tool (TST-CJ29PRO)
(See page 32 for TaskMaster Stripping Tool)

U.S. Pat. 7,044,776, 7,677,932, 7,223,132,
7,507,126, 7,988,503 & additional Patents
Pending apply. All other trademarks, U.S. &
Foreign Patents apply. All Rights Reserved.

DRYCONN® WATERPROOF CONNECTORS

DBSR® Direct Bury with Strain Relief

- UL Listed 600V for dry, wet or above/below grade applications when used in an enclosure
- For use in Direct Bury applications when operating at 30V or less
- For use with solid & stranded wire
- Pre-filled with dielectric silicone sealant that never hardens
- Waterproof & corrosion proof
- Easy latch lid provides strain relief
- One piece for easy installation
- Silicone Sealant Temperature: -45°F to 400°F
- Designed for tracer splices & cathodic applications

SKU# 63315 DBSR Yellow- Bag of 10
SKU# 63350 DBSR Yellow- Box of 100
SKU# 63615 DBSR Aqua- Bag of 10
SKU# 63650 DBSR Aqua- Box of 100



DBSR Yellow
Min #22/Max #6



DBSR Aqua
Min #22/Max #6

MADE IN USA

U.S. Pat. 7,170,005, 6,815,616 & additional Patents Pending apply.
All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.


DRYCONN® WATERPROOF CONNECTORS

Split Bolt Housing

- Designed for low voltage tracer splices & cathodic applications up to 50V
- For use with solid/stranded wire & steel core/copper clad steel
- Use for making tap or branch splices
- Pre-filled with a non-toxic SmartGel® that eliminates hazmat requirements
- Waterproof & corrosion proof
- Eliminates the need for heat shrinks, primers, tapes & epoxy packs
- One piece for fast, easy installation
- Installs in one minute or less
- For use in outdoor or direct-burial locations
- Wire Range: #14 - #10 AWG

SKU# 69205 Split Bolt Housing Yellow- Bag of 10
SKU# 69105 Split Bolt Housing Aqua- Bag of 10

Split Bolt*
Housing Yellow
Min #14/Max #10



Split Bolt*
Housing Aqua
Min #14/Max #10

*Split Bolt not included

MADE IN USA

U.S. Pat. 7,950,956 & additional Patents Pending apply. All other trademarks,
U.S. & Foreign Patents Pending apply. All Rights Reserved.

DRYCONN® WATERPROOF CONNECTORS

HSC Connectors Heat Shrink Crimp

- Great for well pump connections
- For use with solid & stranded wire
- Transparent heat shrink allows for visible splice examination
- Crimp connector is UL Listed
- Manufacturer approved for direct bury
- Connectors span a wire range between #14 - #4 AWG

SKU# 71010 HSC1- 14g - 10g- Bag of 4 contains: four (4) 14g - 10g crimps & 4 small sleeves
SKU# 71020 HSC2- 8g - 12g- Bag of 4 contains: one (1) 14g - 10g crimp, three (3) 8g crimps & 4 small sleeves
SKU# 71030 HSC3- 6g - 8g- Bag of 4 contains: one (1) 8g crimp, three (3) 6g crimps, 1 small sleeve & 3 large sleeves
SKU# 71040 HSC4- 4g - 8g- Bag of 4 contains: one (1) 8g crimp, three (3) 4g crimps, 1 small sleeve & 3 large sleeves




DRYCONN® WATERPROOF CONNECTIONS

VisiLock® with SmartGel®

- Designed to protect cathodic splices from corrosion
- For use with solid & stranded wire
- Waterproof & corrosion proof
- Re-enterable, semi-transparent, encapsulated splice allows for a visible splice examination
- Locking mechanism centers splice in box
- Pre-filled with a non-toxic gel that eliminates hazmat requirements
- One piece for fast, easy installation
- Eliminates heat shrinks, primers, tapes & epoxy packs
- For making tap or branch splices on insulated cables rated up to 100V

SKU# 98010 VisiLock- Box of 1



Anode
Splice Box

Main: #8-1/0 (.363"-.625" O.D.)
Tap: #12-#4 (.305"-.443" O.D.)

MADE IN USA

U.S. Patent 7,384,297, 7,431,611 & 7,883,608.
All other trademarks, U.S. & Foreign Patents Pending apply. All Rights Reserved.

GAS & WATER UTILITY

KING AL Wire & Valve Locating System

- Professional unit designed to quickly & accurately locate wire paths, buried valve solenoids, wire breaks & more
- Adjustable power output to locate over a wide range & select the best signal for optimal system performance
- Choose from speaker audio, headset audio and/or visual indication
- Transmitter, receiver & headphones built tough for rugged outdoor use
- Lightweight, long-nose receiver wand for ease of use & speedy path location
- Battery operated device for use on remote systems*

Includes:

1. Headset
2. Ground Stake
3. Transmitter
4. Receiver
5. Carrying Case
6. Black Lead
7. Red Lead
8. Selector knob
9. On/Off Switch
10. Battery Cover

SKU# 42521 KING AL - Case of 1



* Battery: Eight (8) D-cell & One (1) 9V
- Batteries not included.

KING DL Advanced Digital Cable, Wire & Valve Locating System

- Tracks metallic cabling & buried AC power lines CATV, electrical, telephone, sprinkler or lighting wire
- Inductive mode capability: inductive clamp & inductive antenna modes
- Dual direct connect frequencies (2kHz, 33kHz) & adjustable power for a variety of locating applications
- Passive 50-60Hz AC Tracking
- Choose between null or peak tracing modes
- AC noise rejection system for improved accuracy
- Both audible (external speaker or headset) and visual indicators
- Sealed controls & display for durability & reliability
- Extended range for largest irrigation systems
- Determine wire depth using the triangulation method

Includes:

1. Receiver
2. Stereo Headset
3. Transmitter
4. Carrying Case
5. AC Wall Power Unit
6. Inductive Clamp
7. Ground Stake
8. Red Lead
9. Black Lead

SKU# 42900 KING DL - Case of 1



KING CM True RMS Milliamp Clamp Meter

- 0.001mA Current Resolution
- True RMS Measurement
- Display Backlight
- Data Hold
- Peak Value Capture
- Auto Power Off
- Zero Function
- Continuity
- Autoranging
- CAT III 600V

SKU# 42095 KING CM - Card of 1



Clamp Meter

- Precise True RMS Circuitry
- Integrated non-contact voltage detection
- Data hold capability to maintain reading on display
- Auto power off functionality to save battery life
- Designed & tested according to cETLus standards & is CAT III 600V rated

SKU# DSA600TRMSR Clamp Meter- 1 per pack



Clamp Meter Line Splitter

- Splits current loop for convenient measurement in applications where separation of wires could endanger integrity of insulation
- Separates hot & neutral conductors of power cords when testing AC amp draw of light duty machinery, power tools, appliances & lamps
- 1x & 10x measuring capability
- Probe slots for voltage measurement with a voltage tester (not included)
- A must-have accessory for clamp meters

SKU# E1 Clamp Meter Line Splitter- 1 per pack



Pocket Digital Multimeter

- Measures AC/DC Voltage, Resistance, Frequency, Continuity, Duty Cycle, & Diode Test
- Auto ranging
- Overload protection on all ranges
- Data hold feature captures the reading on the display
- Auto power off & low battery indicator
- 3999 Count LCD Display
- Relative delta displays changes in reading
- Pocket-sized design for easy use, storage & transportation
- Designed to CAT II 600V

SKU# DM4A Pocket Digital Multimeter- 1 per pack



KING IT Irrigation Tester

- Troubleshoot most irrigation control system.
- Battery powered solenoid valve driver.
- Compatible with all 24 volt AC solenoids.
- Generates powerful tracing tones for identifying wires.
- "Chatter" mode steadily cycles valves to make them easier to find.
- Tests solenoids for continuity
- Insulation piercing clips; no stripping required

SKU# 42024 KING IT - Card of 1



KING ITK Irrigation Tester Kit with King Tone Probe

- Troubleshoot most irrigation control system
- Battery powered solenoid valve driver.
- Compatible with all 24 volt AC solenoids.
- Generates powerful tracing tones for identifying wires.
- "Chatter" mode steadily cycles valves to make them easier to find.
- Carrying case included.
- Identifies wires with tone probe
- Tests solenoids for continuity
- Insulation piercing clips; no stripping required

SKU# 42025 KING ITK - Card of 1



Digital Auto Ranging Multimeter

- Auto ranging capability allows the meter to automatically determine the resolution based on the application
- Compact, lightweight design
- AC/DC voltage capable with temperature measurement functionality
- Impact resistant housing
- Operates from (2) AAA batteries, included

SKU# DM6260 Digital Multimeter- 1 per pack



Digital Multimeter

4 Function 16 Range

- 16 Position, smooth rotary dial
- Data hold feature captures the reading on the display
- Durable, drop resistant housing
- Clear 2000 count digital display
- Replaceable 26" test leads
- Protective rubber boot with test lead holders & tilt-out stand
- Snap in leads spaced to fit standard outlets
- Compact design for easy use, storage, & transportation
- Conforms to UL 61010-1 standards and certified to CAN/CSA C22.2

SKU# GDT-3190 Digital Multimeter- 1 per pack



Digital Multimeter

3 Function 14 Range

- 12 position, smooth rotary dial
- Durable, drop resistant housing
- Clear 2000 count digital display
- Dual off positions on dial for added convenience
- Compact design for easy use, storage, and transportation
- Conforms to UL 61010-1 standards and certified to CAN/CSA C22.2
- Secure fitting input jacks

SKU# GDT-311 Digital Multimeter- 1 per pack



Adjustable Non-Contact Volt Detector

- Built-in flashlight
- The adjustable Volt Sensor allows for sensitivity adjustments in multiple-wire applications when precision & safety are crucial.
- Adjustable non-contact sensitivity detects voltage from 12-1000V AC
- Audible & 360 visual indication
- Operates from single AAA battery
- Patented battery self-test feature
- Pocket Clip

SKU# VD6509 Adjustable
Non-Contact Volt Detector with Flashlight- 1 per pack



Low Voltage Tester

- Electrical tester for troubleshooting irrigation & low voltage lighting systems
- Checks voltages from 5-50 VAC/DC.
- Hi-impact ABS housing
- Hi-Vis 360° indication
- Convenient Pocket Clip
- Insulated alligator clips on end of test leads for convenience

SKU# GET-3202 Low Voltage Tester- 1 per pkg



Outlet Tester with Stud Finder

- Combined multi-scanner & electrical tester simplifies installation of irrigation controllers, pump controls, lighting transformers, etc.
- 3-selectable modes: stud scan, metal scan or AC Voltage
- Scans & locates wood or metal studs at a depth up to 0.75 inch
- Non-contact AC voltage detection (50-600V AC) to a maximum depth of 3.5 inch through drywall
- Integrated 3-wire wall outlet with GFCI test functionality
- Built-in metal tip for marking stud edge, pipe location or desired mounting point
- Over-molded rubber grips
- Audible & visual indication
- Operates from one 9 volt battery

SKU# PD6902 Outlet Tester with Stud Finder- 1 per pkg



Stop Shock II

- Single LED provides immediate indication of the wiring error, no need for a chart to carry, memorize or interpret!
- Advanced ground testing circuitry precisely detects the required low resistance values
- Hi-impact ABS housing withstands a 10ft drop & offers a 250 pound crush rating
- Bright 360 LED indicator light

SKU# HGT6520 Stop Shock II- 1 per pkg



Outlet Receptacle Tester & Circuit Tester

- Tests multiple conditions: open ground, open neutral, open hot, hot/ground reverse, hot/neutral reverse & correct wiring
- Succession of yellow & red lights provides indication of circuit status or specifies wiring errors
- Provides easy-to-read views from the top, side & bottom of tester
- Integrated neon lenses
- ETL Approved
- 1 Year Warranty

SKU# GRT-3500 Outlet Receptacle Tester- 1 per pack



IrriMeter™

- Auto-ranging smart meter for irrigation applications
- Ohm / DCV / ACV
- Use to quickly and accurately troubleshoot irrigation systems
- Precision measurements for 100% confidence
- Easy one-switch operation and clear LCD display
- Convenient pocket sized meter

SKU# 42010 IrriMeter- Card of 1

- Continuity Test
- AC Voltage Test
- Frequency Test
- Diode Test
- DC Voltage Test
- Resistance Test
- Duty Cycle Test



Please see IrriMeter Product Manual inside package for a complete list of product specifications, product warnings, and instructions for use.

Alligator Clips

- Multi-purpose alligator clips for home, auto & irrigation applications
- Use as replacements for meters & testers
- Fully insulated
- 22 - 16 AWG

SKU# 14-078 2" Alligator Clips- 2 per pack



GORILLA WIRE STRIPPER™

- Ergonomic comfort squeeze handle eases hand fatigue & provides non-slip grip
- Features handle lock closure for added safety
- Tools available for multiple solid & stranded wire gauges

SKU# 46005 Gorilla Wire Stripper w/Handle Lock #20-#10 AWG- Card of 1

SKU# 46501 Gorilla Wire Stripper/Crimper/Cutter#22-#10 AWG- Card of 1

SKU# 46515 Gorilla Wire Stripper/Cutter w/Handle Lock #20-#10 AWG- Card of 1



GORILLA UF STRIPPER™

- Strips off outer jacket in one quick motion
- Will not nick copper wire like a traditional knife blade
- Small enough to reach inside boxes & enclosures
- Made of heat-treated carbon steel with long lasting blade
- Ergonomic grip protects tired hands

SKU# 46200 Gorilla UF/NM-B Cable Stripper- Card of 1



Min/Max Strip
#14-#10 AWG

King Krimper Tool

- For use with KSC (King Shrink Crimp) connectors
- Ratcheting style tool
- Pre-defined compression for each connector size guarantees a secure connection
- Durable tool for extended use

SKU# 46550 King Krimper- Card of 1



4-Way Crimp Tool

- For use with industry standard copper crimp style connectors
- Designed for even compression & reliable connections
- Crimp two (2) connector sizes with quick adjusting tool
- Spring-loaded, CAM actuated plungerse

SKU# 46540 4-Way Crimp Tool - Card of 1



Adjustable Automatic Wire Stripper

- Cut & strip 10-26 AWG copper or aluminum wire, solid or stranded
- Crimps 10-22 AWG insulated, noninsulated & open barrel terminals
- Hardened steel cutting blades provide strength & durability
- Comfortable high-leverage handle design
- Automatic jaw-loaded wire stripper self-adjusts
- Spring action return
- Adjustable strip length gauge
- Adjustable grip force


SKU# GS-395 Adjustable Automatic Wire Stripper- Card of 1



Automatic Wire Stripper

- Strips wires clean with one easy squeeze, up to a full 7/8"
- Strips solid or stranded wire
- Blades cut insulation without nicking conductor. Jaws open automatically to remove wire without crushing ends
- AWG size clearly marked at each cutting hole
- Comfortable no-slip handles

SKU# SE-92 Automatic Wire Stripper- Card of 1



ArmorEdge Wire Stripper

- Stainless steel, hardened cutting blade
- Cuts mild steel, brass, copper, & aluminum wire
- Strips 10-18 AWG Solid, 12-20 AWG Stranded
- Bolt Cutting: 6-32, 8-32, 10-32
- Precision ground plier nose & wire looping holes
- Ergonomic handle with easy-to-read laser-etched markings
- Spring action return

SKU# GESP-55 ArmorEdge Wire Stripper- Card of 1



ArmorEdge Wire Stripper

- Stainless steel, hardened cutting blade
- Cuts mild steel, brass, copper, & aluminum wire
- Strips 8-20 AWG Solid, 10-22 AWG Stranded
- Crimps 10-22 AWG insulated & non-insulated terminals, coaxial connectors
- Bolt Cutting: 4-40, 5-40, 6-32, 8-32, 10-24, 10-32
- Precision ground plier nose & wire looping holes
- Ergonomic handle with easy-to-read laser-etched markings

SKU# GESP-70 ArmorEdge Wire Stripper- Card of 1



ArmorEdge®

Long Nose Wire Stripper

- Forged steel construction, induction hardened cutting blade
- Cuts mild steel, brass, copper, & aluminum wire
- Strips 8-20 AWG Solid, 10-22 AWG Stranded
- Straight & curved serrated jaws
- Crimps insulated & non-insulated connectors
- Bolt Cutting: 6-32, 8-32
- Ergonomic handle with easy-to-read laser-etched markings

SKU# GBP-61N ArmorEdge Wire Stripper- Card of 1



Ratcheting Cable Cutter

- Ratcheting mechanism for increased leverage
- Variable-force cutting action permits choice between high force & speed
- Dual-action handles cut from either direction; easy to use in tight spots
- Rubber hand grips permit firm grip control
- Hardened alloy-steel blades are easily sharpened without removing them from the tool

SKU# GRC-750 Ratcheting Cable Cutter- Card of 1



Cable Cutter

- Cuts cleanly with high leverage one hand operation
- Cuts soft copper & aluminum cable
- Precision ground, high strength steel blades
- 8" length

SKU# GC-375 Cable Cutter- Card of 1



Clamp Tools – 8" and 12"

- Single action standard jaw pincer
- perfect for irrigation installations
- Use to install or remove pinch/ear clamps, cut wire strapping, pull nails, and more
- Forged for heavy usage
- Ergonomic dipped handle is resistant to wear

SKU# 46808 8" Clamp Tool - Card of 1

SKU# 46812 12" Clamp Tool - Card of 1



Tongue and Groove Pliers – 6", 10", 12", 16", and 20"

- Plier teeth provide a strong, no-slip grip in all directions
- Precision tongue and grooves and strong rivet joint provide a smooth jaw action
- Large jaw capacity
- Ergonomic dipped handle is resistant to wear
- Curved jaw pliers provide more contact points for maximum grip (10", 12", and 16")

SKU# 46910C 10" Curved Jaw Tongue and Groove Pliers - Card of 1

SKU# 46912C 12" Curved Jaw Tongue and Groove Pliers - Card of 1

SKU# 46916C 16" Curved Jaw Tongue and Groove Pliers - Card of 1

SKU# 46906 6" Straight Jaw Tongue and Groove Pliers - Card of 1

SKU# 46910 10" Straight Jaw Tongue and Groove Pliers - Card of 1

SKU# 46912 12" Straight Jaw Tongue and Groove Pliers - Card of 1

SKU# 46916 16" Straight Jaw Tongue and Groove Pliers - Card of 1

SKU# 46920 20" Straight Jaw Tongue and Groove Pliers - Card of 1



Turf Knife

- 3" straight and serrated blade provides quick, clean cuts
- Cut sod, turf grass, roofing material, floor coverings, landscape fabrics, and more
- Ergonomic, contoured grip handle provides comfort and control

SKU# 46750 10" Turf Knife - Card of 1



Utility Knife and Replacement Blade Kit

- Sharp blade provides clean, precise cuts
- Blade folds securely into handle
- Includes pocket clip
- Compatible with most standard utility knife blades
– 5 pack replacement blade cartridge available

SKU# 46730 10" Utility Folding Knife - Card of 1

SKU# 46750 Utility Folding Knife Replacement Blade 5-Pack Cartridge - Card of 5



I-tool[®] 2.0

Irrigation Multi-Tool

- 16 tools, includes 6 Irrigation Tools
- Compatible with all major brands
- Punch precise holes in poly
- Quickly remove sediment
- Effortlessly adjust arc
- Pull up any brand sprinkler head
- Lightweight compact style
- Precise construction
- Withstands extended use
- Carrying case included



(See page 45 for merchandise display)



SKU# 46600 I-tool 2.0- Card of 1

U.S. Pat. D731,270S, D742,714, 9,358,676, D743,234S & all other trademarks, U.S. & Foreign Patents apply. All Rights Reserved.

Electrician's Knife

- Key ring for continuous easy access
- Tempered carbon-steel blades sharpen easily & hold their edge
- Compact 3 3/4" in size
- Spear blade for general cutting & 2 1/2" screwdriver blade with safety lock

SKU# KF-200 Electrician's Knife- Card of 1



Industrial Scissors + Safety Holster

- Safety Holster with belt clip
- Crimp Terminal Sleeves (#22 - #10 AWG)
- Cushion Grip Handles for extra leverage
- Cut up to #6 AWG or 1/0 Flex (CU or AL conductor)
- Stainless steel blades hardened to 55 HRC with non-slip micro-indentations

SKU# THT-SC-CC Industrial Scissors - Card of 1



TaskMaster Stripping Tool

- Strips cable diameter 0.18 - 1.14 in
- 3 locking positions performs consistent concentric, lateral & spiral cuts
- Blade blocking system prevents breaking blade from mis-use
- Ergonomic hand hold provides comfort for repetitive use
- Closed jaw design allows for a snug hold on conductor
- Blade adjustment wheel provides versatility by changing depth of blade
- Directional latch performs concentric, lateral, & spiral cuts


SKU# TST-CJ29PRO Stripping Tool - Card of 1



Cable Saw

- 36" Cable Saw
- For fast cutting of PVC plumbing, drain, & irrigation pipe
- Great for tight spaces

SKU# 46300 Cable Saw- Card of 1



2" Ratchet Poly/PVC Pipe Cutter

- Cuts up to 2" SCH40, Class PVC Pipe or Yellow (PE) Gas Pipe
- Cuts up to 2" Poly (PE) Pipe
- PTFE Coated Steel Blade for precision cuts
- Strong & durable cast aluminum body
- Easy to change blade

SKU# 46350 2" Ratchet- Card of 1

SKU# 46351 2" Ratchet Replacement Blade- Card of 1



1 1/4" Ratchet Poly/PVC Pipe Cutter

- Cleanly cuts up to 1 1/4" SCH40, Class PVC Pipe & up to 1 1/4" Poly (PE) Pipe
- PTFE Coated Steel Blade for precision cuts
- Strong & durable cast aluminum body
- Pointed steel blade for ease of cutting

SKU# 46310 1 1/4" Ratchet- Card of 1

SKU# 46311 1 1/4" Ratchet Replacement Blade- Card of 1



**10 PACK BLADE DISPENSER
W/MAGNETIC BACKING**

PTFE Blades for SB5000

SwitchBlade PRO Cutter

- **QUICK RELEASE BLADE:** push button blade release for the fastest blade swap on the market
- Cleanly cuts non-metallic flexible conduit
- Comfort fit handle conforms to your hand
- Replacement blades available
- 10 pack dispenser with magnetic backing not available for 2"

SKU# SB5000 1 1/2" Switchblade PRO w/PTFE Coated Blade- Card of 1

SKU# BL5001 PTFE Coated Replacement Blade- Card of 1

SKU# BL5010 PTFE Coated Replacement Blades- Pack of 10

SKU# SB6000 2" Switchblade PRO w/PTFE Coated Blade- Card of 1

SKU# BL6001 2" PTFE Coated Replacement Blade- Card of 1

U.S. Pat. D694,603, 9,566,716, 6,658,738. All Rights Reserved.



Spray-Loc

- Easily clean or replace nozzles
- Locks sprinkler head in upward position
- Made of high impact ABS
- Reusable
- 5 Spray Lock tools per ring (all tools one size)

SKU# SL-C550 Blazing Spray-Loc- Ring of 5

(See page 45 for merchandise display)



Blue Tote Tray

- Easily transport glue, tools, & other supplies to & from job sites
- Oversized for maximum capacity without the worry of spilling
- Storage grooves on the side of handle allow for smaller supplies, such as connectors
- Heavy duty construction

SKU# 47027B Blue Tote Tray- QTY 1

Product not included



MADE IN USA

Metal Staples

- Burr-free steel construction
- Recessed head protects cable jacket during installation
- Releasable
- Legs drive straight to resist splitting wood
- Drive in with a hammer; sharp tips for easy start
- Contractor preferred length
- Metal construction with a graphite metallic finish
- Made from steel for strength
- Made in the USA

SKU# MS-1550T Metal Staples 1/2"- Pack of 24

SKU# MS-1575T Metal Staples 9/16"- Pack of 18



Insulated Staples

- Ideal for securing & protecting 2 conductor #12 & #14 Non-Metallic BX, MC, AC & UF cable
- Durable polyethylene insulator protects cables & helps prevent arc faults
- Steel construction provides strength
- Sharp, burr-free tips for easy starting & reduction in damage to wood
- For framing & construction applications, place staple over cable & install using hammer
- 1/2" W
- Made in the USA

SKU# MSI-1525T Insulated Staples 1/2"- Pack of 15



Coaxial Staples

- Great for irrigation wire
- Secures cable of 1/4" diameter or less
- Black polyethylene saddle offers UV resistance for indoor & outdoor applications
- Zinc-plated nail resists rust & corrosion
- Drive in with a hammer
- Suitable for indoor & outdoor applications
- 1 nail per staple for quick & easy installation
- 1/4" W

SKU# PCC-1525 Coaxial Staples 1/4"- Pack of 25



Plastic Electrical Staples

- Polyethylene saddles will not rust, rot or deteriorate
- Zinc-plated nails resist rust & corrosion
- Fast & easy to install - both nails drive together without splitting wood
- Nail heads are recessed for minimum exposure

SKU# PS-50 White Plastic Staple- Bag of 50

SKU# PS-225J White Plastic Staple- Bag of 50

SKU# PS-150 White Plastic Staple- Box of 100



PTFE Thread Tape

- 520" roll
- Creates a watertight seal around threaded pipe joints
- Resists water & corrosion
- Flexible & easy to tear for quick installation
- 0.004" thick, medium density
- Tensile Strength: 3.5 lbs/inch, Elongation: 25%
- Temperature Range: -375°F to 500°F

SKU# 86020 1/2" x 520" PTFE Thread Tape- QTY 1

SKU# 86021 3/4" x 520" PTFE Thread Tape- QTY 1

SKU# 86022 1" x 520" PTFE Thread Tape- QTY 1



Repair Tape

- A quick fix during emergency repairs- leaky hoses, pipe insulation, electrical connections, tool handles, air ducts, & cord/rope ends
- Non-adhesive formula leaves no sticky residue
- Repair Tape is waterproof, weatherproof, & air tight
- Insulate & protect around the house & minimize the need for emergency repairs
- Waterproof & insulate wire connections with no extra equipment or heat required
- Non-Stick Repair Tape fuses only to itself when applied under tension. No sticky residue remains on wrapped surfaces
- Operates & remains flexible from -60°F (-51°C) to 500°F (260°C)
- Stretches up to 300% its original length with 60 ppi tear strength
- A permanent air & water tight seal, Repair Tape has excellent UV Resistance
- Secure: Repair Tape begins to bond immediately on contact with itself. Repositioning is not recommended after 2 minutes of contact, & the bond is permanent within 24 hours



SKU# HTP-1010 Repair Tape, Black, 10'- 1 per pack

SKU# HTP-1010WHT Repair Tape, White, 10'- 1 per pack

Electrical Tape

- Use for marking & coding wires
- For applications up to 600V
- Temperature rating up to 80°C (176°F)
- UL listed & CSA certified
- Vinyl electrical tape is a tough 7 mil tape with excellent adhesive ability
- Resistant to abrasion, UV rays, moisture & many acids



GTP-607 replaces
King Innovation
sku #86001



SKU# GTG-667P Green Electrical Tape, 3/4" x 66'- 1 roll per pack

SKU# GTW-667P White Electrical Tape, 3/4" x 66'- 1 roll per pack

SKU# GTPC-550 Electrical Tape, 1/2" x 20', Assorted Colors- 5 rolls per pack

SKU# GTP-607 Black Vinyl Electrical Tape (UL Listed)- QTY 1

Pipe Wrap Tape

- Provides UV & Weather Protection
- Stretchable, strong adhesive
- Great for cast & ductile iron, galvanized steel, electrical conduit types of pipes & fittings
- Waterproof & non-corrosive
- 2" x 100 feet x 10 mil



SKU# 86080 Pipe Wrap Tape- QTY 1

UPC Pipe Wrap Tape

- Provides UV & Weather Protection
- Stretchable, strong adhesive
- Great for cast & ductile iron, galvanized steel, electrical conduit types of pipes & fittings
- Waterproof & non-corrosive
- 2" x 100 feet x 10 mil



SKU# 86081 UPC Pipe Wrap Tape- QTY 1

Duct Tape

- 9 mil, multi-purpose grade tape
- 2" x .0085" x 60 yards
- 48 mm x .210 mm x 55 m
- Excellent adhesion to a wide variety of surfaces
- Use for a broad range of applications or bundling
- Conforms well to irregular spaces



SKU# 86070 Duct Tape- QTY 1

MADE IN USA

Extension Cords

- Length: 25', 50' or 100'
- Cord color: Yellow or Orange
- Rating: 15A, 125V

SKU# OC100123LT 100' Yellow 12/3 Cord- QTY 1

SKU# OC25143 25' Orange 14/3 Cord- QTY 1

SKU# OC501433T 50' Orange 14/3 Cord with Triple Tap- QTY 1

SKU# OC251233T 25'

Yellow 12/3 Cord Lighted End with Triple Tap- QTY 1



Black Nylon Cable Ties

- Easy to use ties for landscape lighting on decks or trees, home, electrical, or any fastening needs
- Self-locking, one-piece, low profile head conserves space
- For maximum comfort, smooth rounded edges will not cut hands or insulation
- Available in 8", 11", 14", 17" & 24" sizes
- 8" cable tie available with or without screw mount head
- 1" x 1" adhesive black cable mount available
- Rated for indoor/outdoor use
- Easy to use self-locking ties for many fastening uses
- UV resistant
- Nylon toughness
- Flammability rating: UL 94V-2
- Plenum rated AH-2

SKU# 46-308UVB 8" Black Cable Ties- Bag of 100

SKU# 46-210UVB 11" Black Cable Ties- Bag of 100


SKU# 46-315UVB 14" Black Cable Ties- Bag of 100

SKU# 46-418UVB 17" Black Cable Ties- Bag of 50

SKU# 46-424UVB 24" Black Cable Ties- Bag of 50

SKU# 48-308UVB 8" Black Cable Ties with Screw Mount- Bag of 100

SKU# MB-20UVB Black Cable Mount (not UL Listed)- Bag of 100



Natural Nylon Cable Ties

- Bent tip on all series of cable ties allows easier pick-up insertion, & pull-up
- V-shaped raised ridges on bent tip gives a sure grip & easier pull-up
- Engineered & manufactured for excellent performance
- For maximum comfort, smooth rounded edges will not cut hands or insulation
- Raised ridges on bent tip for a sure grip
- Nylon toughness
- UL 94V-2 flammability classification
- Complies with military spec
- Self-locking, one-piece, low profile head conserves space
- Rated for indoor/outdoor use
- Easy to use self-locking ties for many fastening uses
- Plenum rated AH-2

SKU# 46-104 4" Nylon Cable Ties- Bag of 100

SKU# 46-308 8" Nylon Cable Ties- Bag of 100

SKU# 46-310 11" Nylon Cable Ties- Bag of 100

SKU# 46-315 14" Nylon Cable Ties- Bag of 100



Black Xtreme Cable Ties

- Designed to perform under intense UV & cold weather conditions - your project stays securely bundled no matter what Mother Nature brings
- Engineered from improved Nylon 66 & ISO certified to maintain their properties down to -40°F/C
- UL listed for indoor & outdoor applications from -40°F to 185°F (-20°C - 85°C)
- 50lb. tensile strength
- UV Black

SKU# 45-308UVBFZ 8" Xtreme Cable Tie, Black- Bag of 20

SKU# 45-311UVBFZ 11" Xtreme Cable Tie, Black- Bag of 20

SKU# 45-314UVBFZ 14" Xtreme Cable Tie, Black- Bag of 20

SKU# 46-308UVBFZCC 8" Xtreme Cable Tie, Black- Bag of 100

SKU# 46-311UVBFZ 11" Xtreme Cable Tie, Black- Bag of 100

SKU# 46-314UVBFZ 14" Xtreme Cable Tie, Black- Bag of 100




Stainless Steel Cable Ties

- Resists chemicals & radiation exposure as well as enduring extreme temperatures
- Stainless steel design is great for clean environments
- Self-locking ball mechanism meets low insertion force requirements while maintaining high tensile strength
- Operating temperature rated up to 572°F (300°C)

SKU# 45-306SS 6" Stainless Steel Cable Ties- Bag of 10

SKU# 45-312SS 11" Stainless Steel Cable Ties- Bag of 10



Blazing Measuring Wheel

- Road marking, paving, fencing, lawn, landscape, sports fields
- Property assessment, traffic control, insurance
- Mainly used on uneven surface over long distances
- Professional design with Brake Trigger & Reset Trigger
- Measure up to 10,000 feet, inch increments
- High traction flat tire mounted onto rim
- Wheel runs on roller bearings
- Firm & solid kickstand

SKU# BMW12 Measuring Wheel- Carton of 1



Wheel diameter 12"
Wheel circumference 38"

Cable Boss

- Designed to use only GB's patented Cable Boss Staples: MPS-2080, MPS-2100, MPS-2125
- Comfort Grip for 2-handed operation
- Easy trigger force & lever action
- Secures round & flat cables
- Staple guide ensures full insertion of the staple into the wood without damage to the cable insulation
- Designed to work with the following GB Staples Model #s: MPS-2080 5/16" Metal Insulated Staple, MPS-2100 3/8" Metal Insulated Staples, & #MPS-2125 1/2" Metal Insulated Staples
- Designed to work with the following GB Staples Model #s: MPS-2080 5/16" Metal Insulated Staple, MPS-2100 3/8" Metal Insulated Staples, & #MPS-2125 1/2" Metal Insulated Staples

SKU# MSG-501B Cable Boss, Black - Pack of 1

SKU# MSG-501 Cable Boss, Red - Pack of 1

SKU# MPS-2080 5/16" Metal insulated Staples, Blue - Pack of 250

SKU# MPS-2100 3/8" Metal Insulated Staples, White - Pack of 200

SKU# MPS-2125 1/2" Metal Insulated Staples, Black - Pack of 200



Power Cords/Pigtails

- ETL Listed for safety
- For multiple residential/commercial applications including power to irrigation controllers, etc.
- Three (3) conductor cord
- Wire Gauge: #16 stranded wire
- For indoor/outdoor use
- NEMA 5-15P
- 125 VAC



SKU# 25260 6' Power Cord/Pigtail, 16/3, 90° Plug- QTY 1

SKU# 25261 6' Power Cord/Pigtail, 16/3, Straight Plug- QTY 1

SKU# 25280 8' Power Cord/Pigtail, 16/3, 90° Plug- QTY 1

SKU# 25299 Strain Relief Cord Grip- Bag of 10

Anchor Kit

- Kit includes 100 #10 x 1" slotted Phillips combination pan head screws
- Kit includes 100 1/4" x 1" plastic anchors
- Free carbide-tipped drill bit included

SKU# 25130 Anchor Kit- QTY 1



Drywall Anchor Kit

- Pre-drills its own small precise hole in drywall
- Attaches through drywall
- Available in zinc or plastic anchors
- Kit includes 50 pan head screws & anchors

SKU# 25140 Drywall Plastic Anchors- QTY 1

SKU# 25150 Drywall Zinc Anchors- QTY 1



Storage Organizers

- Perfect for storage & organization
- High-impact plastic pail with heavy duty handle
- Storage trays fit snugly inside pail
- Full size sorter trays interchange with half size trays
- Water-resistant lids are easy to put on & take off
- Available in multiple tray quantities for customization

SKU# 47502 5 Gallon Yellow Pail - 1 Lid, 2 Large and 2 Small Black Trays

SKU# 47405 5 Gallon Yellow Pail - 1 Lid, 3 Large Black Trays

SKU# 47506 5 Gallon Yellow Pail - 1 Lid, 6 Small Black Trays



65' Steel Fish Tape

- Great for fishing wire through conduit & locating underground pipes
- 65' fish tape
- Ergonomic handle
- 8.5 Inch external ring diameter with 4 Inch internal ring diameter

SKU# FTS-65R Fish Tape - Pack of 1



15' Mini Cable Snake

- Use for fishing & pulling irrigation & low voltage lighting wires through conduit
- Compact, rugged design can be easily carried & stored
- 15 foot flat steel wire tape fishes under carpets, down walls & over ceilings
- Low-memory tape does not curl during extension - perfect for non-conduit situations
- Durable, high-impact housing resists breaking

SKU# EFT-15 Mini Cable Snake - Pack of 1



King Self-Igniting Torch

- 33% larger flame for faster heating
- Stainless steel 10mm tip
- 360° tip swivel
- Adjustable Flame Knob, Ignition Lock Button & Ignition Trigger
- Rugged brass and durable aluminum housing to avoid gas leakage
- Fuel: Fuel: Compatible with Propane or MAP-Pro®
- Approximate Temperature: Up to 1465°C (2669°F) (blue flame)

SKU# KT4000 Adjustable Gas Torch - QTY 1



Mini-Torch with Butane

- Perfect for use with heat shrink style wire connectors
- Uses butane gas
- Quick light torch with easily adjustable continuous flame
- Compact size for portability
- Includes soldering attachment
- Fuel: Butane
- Operating Time: 30-40 minutes
- Approximate Temperature: Up to 1300°C (2372°F) (blue flame)

SKU# BHST-200 Mini-Torch - QTY 1


DANGER- EXTREMELY FLAMMABLE
WARNING- CONTENTS UNDER PRESSURE



Hanger Strap

- For hanging or fastening conduit, pipe or cables
- Galvanized to protect against rust & corrosion
- Flexible for easy use
- Pre-punched holes for easy mounting
- 1 per pack
- Shrink Temperature: 120°C

SKU# GHS-1510 Hanger Strap 10' x 3/4" x 20 gauge- 1 per pack



Plastic Conduit Strap

- Securely fasten Schedule 40 PVC, copper tubing, & other electrical & plumbing cables & pipes
- Secures conduit, pipe, tube, or bundle
- Made of heavy-duty polyethylene
- Withstands extreme cold & UV rays
- Will not corrode like metal straps
- Easy to install
- Made in the USA

SKU# GCC-120 1/2" Plastic Conduit Strap- 20 per bag

SKU# GCC-220 3/4" Plastic Conduit Strap- 20 per bag

SKU# GCC-310 1" Plastic Conduit Strap- 10 per bag



Splice Butt Heat Shrink

- Use to extend light & fixture wires
- Adhesive lined butt connectors designed for waterproof heat shrink applications
- Insulates & protects connections from wire pullout, moisture intrusion & abrasion
- Heat-activated adhesive melts & flows to create a reliable & water resistant seal
- Resists salt water, oil, gasoline & other environmental contaminants
- UL & CSA safety listings
- The translucent, gauge printed heat shrink allows for visual inspection after crimp connection
- Clean looking splice for lighting installations in trees

SKU# AMT-4123 Splice Butt Heat Shrink- 7 per clam

#16-14 AWG



Splice Butt Heat Shrink Kit

- Adhesive lined butt connectors are specially designed for waterproof heat shrink applications
- Crimp easily without splitting to secure the connection in place
- Heat shrinking forms a final water-tight seal & the ultimate vibration & strain relief
- Strong connections reduce wire pull out & keep you powered even when faced with heavy vibration
- 22 - 10 AWG assorted butt splices
- 24 per pack

SKU# GBX-TK Splice Butt Heat Shrink Kit- 24 per kit



Vinyl Insulated Terminal Kit

- 61 ring terminals (22-10 AWG, 3/8" to #16 stud)
- 55 spade terminals (22-14 AWG, #10 to #6 stud)
- 26 butt splices (20-10 AWG)
- 33 male/female disconnects (22-12 AWG, 1/4" tab)

SKU# TK-175 Terminal Kit- 175 pc kit



Cable Clamps

- Lightweight plastic construction provides resistance to high & low temperature extremes
- Clean, smooth edges for easy handling & to help prevent cable damage
- Durable, crack-resistant plastic withstands tough conditions at the job site
- Use to hold harnesses, cables & tubing (not included) in construction, maintenance & assembly-line operations
- Mounting holes provided for easy installation with a screw or nail (not included)
- Temperature range: -54°C (-66°F) to 170°C (340°F)
- Easy to install

SKU# PPC-1538 Plastic Cable Clamps, 3/8"- 15 per pack

SKU# PPC-1538UVB Plastic Cable Clamps, 3/8"- 15 per pack

SKU# PPC-1550 Plastic Cable Clamps, 1/2"- 12 per pack

SKU# PPC-1550UVB Plastic Cable Clamps, 1/2"- 12 per pack



Cable Wraptor

- Organize cords, hoses, wires, chains &
- Large hang hole is perfect to store & hang
- Stainless steel hinge & spring to prevent rusting
- "T" handle feature allows for easy carrying ropes, cordsets & extension cords
- Large teeth design for secure locking system
- Easy release trigger
- Cable tie looping hole for permanent attachment
- Spring-loaded hinge helps close tail

SKU# CW-T2R2 Cable Wraptor- 1 per pack



Wire Markers

- Saves time & money during all on-site & in-plant initial hookup, troubleshooting, maintenance & repair
- Automatic, separate marker numbers
- Easy feed, individual number reels 0-9
- Easy tear for quick, convenient marking of wires
- Non-smear material that resists, moisture, dirt & oil

SKU# 47690 Wire Marking System- 1 per pack

SKU# 47691 Wire Marking System Refill- 1 per pack



U-Phase™ Wire Markers

- Slide marker tip across wire to quickly mark & code irrigation & lighting wire
- Valve activated tip keeps paint fresh
- Marking Temp Range: 0° to 110°F (-18° to 44°C)
- Small lightweight marker design allows for easy storage
- 675' of usage versus the standard 66' of a roll of vinyl tape
- Marks up to #6 AWG wire with highly visible quick-drying permanent paint
- Paint resists abrasion, moisture, dirt, oil & UV light
- Conforms to ASTM D 4236
- Black, Red, White, Green

SKU# GWM-AST U-Phase Wire Markers (assorted) - 4 per pack



Wire Marker Book

- Pocket-sized booklets of cloth wire markers & matching terminal markers
- Saves time & money during all on-site initial hookup, troubleshooting, maintenance & repair
- Fabric resists moisture, dirt & oil
- Non-smear legends assure high visibility for instant, positive identification
- Matching terminal marker with every wire marker, plus an extra page of blank write-on wire & terminal markers for special legends

SKU# 42-027 Wire Marker Booklet, 0-9- Pack of 1

SKU# 42-028 Wire Marker Booklet, A-Z, 0-15, Symbols- Pack of 1



Underground UF Splice Kit

- Accommodates waterproof splicing of #14-#18 AWG UF Copper Wire
- Connector set screws engage each wire securely for a solid splice
- Minimum conductor size 14/2 with ground, max conductor size 8/3 with ground
- 600V Max

SKU# HST-1300 Underground UF Splice Kit- 1 per pack



Closed End Connector

- Crimp connector for use with solid or stranded wire
- #22-#14 AWG
- Vibration, corrosion & chemical resistant
- Tin-plated seamless copper

SKU# 20-089 Nylon Pigtail Connector, White- 10 pc clam




Copper Crimp Connectors

- For permanent copper-to-copper wire connections
- Copper construction
- Pressure-type connection
- Strong vibration resistance
- Rated for use up to 600V

SKU# 10-310C Copper Crimp Connector- 100 pc clam

SKU# 10-311C Copper Crimp Connector- 50 pc clam




#18-10 AWG

Clamp Ground Rod

- 1/2" - 1", 10 - 2 AWG
- Secure ground wires to ground rod

SKU# 14-GRC Clamp Ground Rod, Bronze- 1 per pack



Black Liquid Electrical Tape

- Brush on liquid tape forms a protective, waterproof, UV resistant, dielectric seal around spliced electrical wire to protect against corrosion & shortages
- Formula is resistant to chemicals, solvents, saltwater & other common fluids
- Quick-drying formula cures in 24 hours
- Will not unravel or deteriorate like traditional tape
- Remains flexible in extreme temperatures & climates -30 to 200° F & -34 to 93° C

SKU# LTB-400 Black Liquid Electrical Tape- 1 jar per pack

SKU# LTG-400 Green Liquid Electrical Tape- 1 jar per pack



Black Spray Liquid Tape

- Rubber based spray seals, protects & waterproofs spliced electrical wire
- UL & CSA safety listings
- Remains flexible in extreme temperatures & climates -30 to 200 degrees F & -34 to 93 degrees C
- Dries black
- Indoor/outdoor

SKU# LTS-400 Black Spray Liquid Tape, 6oz- 1 can per pack

Self Sealing Tape

- High quality tape insulates & seals surfaces
- Fuses to itself during application to stay watertight
- Silicone tape provides permanent hold in 24 hours or in minutes with the application of heat

SKU# RTP-3422 Rubber Tape, 3/4" x 22'- 1 roll per pack





Peg Board Backer Panel


- 27" tall x 24" wide
- Fits over standard 1" square peg board panels
- Accepts 1/8" or 1/4" peg hooks
- Great for behind the counter product merchandising

SKU# RET350 QTY 1

6" Peg Board Hooks

SKU# RET550
QTY 1 Bag of 20

Product not included



Peg Board Metal Shelf

- 24" wide x 4" deep
- Fits over standard 1" square peg board panels
- Holds all DryConn connector canister sizes
- Great for behind the counter product merchandising

SKU# RET650 QTY 1

Product not included

Metal Clip Strip

- 31" long
- Strong gripping clips hold up to 12 individual products
- Easily merchandise fast moving products such as bagged connectors, cutters, or replacement blades

SKU# RET450 QTY 1

Product not included




Merchandiser Rack

- 6 ft. tall with (header card)
- 15.25" wide (2 sided display area)
- 16.25" deep
- Display high volume, high margin items that will make the irrigation contractor's job easier
- List price rack value \$3,300 (with product)
- All rack orders ship freight prepaid
- Must order one case of all items

SKU# RET360 QTY 1

INCREASE ORDER TOTAL WITH HIGH MARGIN ADD ONS!

From wire markers, repair tape & outdoor rated cable ties to wire strippers, voltage detectors & digital measuring tools, this rack has something that every contractor needs!



ITEMS INCLUDED:

SKU #	DESCRIPTION	PACK QTY	CASE QTY
10-310C	Crimp Connector, Copper, 18-10 AWG	100 pc clam	5 clams
14-GRC	Clamp, Ground Rod, Bronze, 1/2"-1", 10-2 AWG	1 pc card	10 cards
19-AWC	Assorted WireGard 2 gray, 2 orange, 3 yellow, 2 red	9 pc clam	10 clams
20-089	Pigtail Connector	10 per clam	10 clams
42-028	Wire Marker Booklet, A-Z, 0-15, Symbols	1 pc bag	10 bags
45-308UVBFZ	Cable Tie, 8" Xtreme Black, 50lb	20 pc bag	10 bags
45-311UVBFZ	Cable Tie, 11", Xtreme Black, 50lb	20 pc bag	10 bags
45-312SS	Cable Tie, 11", Stainless Steel, 50lb	10 pc bag	10 bags
46-308UVBFZCC	Cable Tie, 8", Xtreme Black, 50lb	100 pc bag	10 bags
46200	Gorilla UF/NM-B Cable Stripper	1 pc card	5 cards
CW-T2R2	Cable Wraptor, 2 Medium, Black/Red	2 pc card	5 cards
DM6260	Digital Multimeter, Auto-Ranging, 7 Function, 19 Range	1 pc clam	1 clam
EFT-15	Mini Cable Snake, 15	1 pc clam	5 clams
GET-3202	Low Voltage Tester, 5-50, VAC/DC	1 pc card	5 cards
19-PC3	PushGard Orange 3-Port Push-In Wire Connector	10 pc clam	10 clams
GCC-120	Plastic Strap, 1/2"	20 pc bag	10 bags
GCC-220	Plastic Strap, 3/4"	20 pc bag	10 bags
GHS-1510	Strap Hanger, 10-ft x 3/4" x 20 Gauge	1 pc card	10 cards
GS-395	Automatic Stripper & Crimper	1 pc card	5 cards
GTPC-550	Electrical Tape, 1/2" x 20, Assorted Colors	1 roll	10 rolls
GWM-AST	U-Phase Wire Marker Assorted, Black/Red/White/Green, 4 Markers	4 pc card	8 cards
HGT-6520	Stop Shock GFCI Outlet Tester	1 pc card	5 cards
HTP-1010	Tape, Repair Tape, 10	1 pc card	5 cards
LTB-400	Black Liquid Electrical Tape	1 pc clam	5 clams
MS-1550T	Metal Staple, 2 Cond, 1/2"	24 pc card	8 cards
MS-1575T	Metal Staple, 3 Cond 9/16"	18 pc card	8 cards
MSI-1525T	Insulated Staple, 1/2"	15 pc card	5 cards
PCC-1525	Coaxial Staple, 1/4", Clip-on	25 pc clam	10 clams
PPC-1550	Cable Clamp, 1/2"	12 pc bag	10 bags
PPC-1550UVB	UVB Cable Clamp, 1/2"	12 pc bag	10 bags
SB5000	Switch Blade Pro w/PTFE Coated Blade	1 pc. card	5 cards
BL5001	PTFE Coated Replacement Blade for SB5000	1 pc card	10 cards
SE-92	Automatic Wire Stripper	1 pc card	5 cards
TK-175	Kit Terminal, Reusable Case	175 pc case	5 cases
VD6509	Adjustable Non-Contact Voltage Detector w/Flashlight	1 pc clam	5 clams
RET360	Merchandiser Rack	1 rack	1 rack

OPTIONAL PLANOGRAM LAYOUTS



TESTERS & METERS



**CUTTERS, STRIPPERS
& TOOLS**



CABLE TIES




WIRE MANAGEMENT



CUTTERS & BLADES



NEW PRODUCTS



Each Planogram Contains

- 2' x 2' Black Wire Grid
- King Innovation Header Card
- Header Card Holder (2)
- 6" Black Gridwall Hooks (15)
- Slat wall J-Hooks (2)
- Peg Board J-Hooks (2)

PRODUCT SHOWN SOLD SEPARATELY

Planogram Kit RET110

MERCHANDISING DISPLAYS



Siphon King Display Rack

- 25" tall x 18" wide x 18" deep
- Metal construction, assembles in seconds, no tools required
- Holds 16 Siphon King pumps
- Four sided signage allows for ease of movement & placement anywhere

SKU# RET250 QTY 1

Display shown with 8- 36" x 72" Pumps, 4- 24" x 24" pumps, 4- 24" Extension Pumps, 2- Siphon King Syringe Sucker cards & 2- 72" Extension hoses. (Product not included)

9" Accessory Hook


- Fits onto RET250 display without any tools or hassle
- Holds Siphon King accessory items: Syringe Sucker & Extension Hose

SKU# RET251 QTY 1

Display Riser

- Attaches to lower shelf of RET250 display
- Riser allows 24" pump (48024) & 24" Extension Pump (48230) to be displayed

SKU# RET252 QTY 1



See pg. 32
for product
details

I-tool 2.0 Display

- Great vibrant display for the counter



See pg. 33
for product
details

Spray-Loc Display

- Great vibrant display for the counter
- Buy 10 rings, display ships FREE!

10-001	18	20210	8	47506	39	90325	7	GESP-55	30
10-1H1	18	20215	8	47690	41	90330	7	GESP-70	30
10-002	18	20220	5	47691	41	90335	7	GET-3202	27
10-003	18	20225	5	48024	14	90340	7	GHS-1510	40
10-003HT	18	20230	5	48036	14	90345	7	GL5CM	21
10-004	18	20235	5	48050	15	90740	22	GRC-750	31
10-006	18	20240	6	48072	14	90750	22	GRT-3500	28
10-084	18	20245	6	48205	15	98010	23	GS-395	30
10-086	18	20248	6	48215	15	98105	9	GTG-667P	36
10-089	18	20250	6	48230	14	98230	10	GTP-607	36
10-310C	42	20255	6	48272	15	98305	22	GTPC-550	36
10-311C	42	20260	5	61135	4	98405	22	GTW-667P	36
10-PC2	18	20265	5	61145	4	AMT-4123	40	GWL-20BT	20
10-PC3	18	20525	5	61146	4	BHST-200	39	GWL-30HD	20
10-PC4	18	20635	5	61148	4	BL5001	34	GWL-40	20
10-PC8	18	20810	6	61235	4	BL5010	34	GWM-AST	41
12-1H1BU	18	21155	11	61241	4	BL6001	34	HGT6520	28
12-084BU	18	22163	11	61242	4	BLS10	9	HST-1300	42
12-086BU	18	22310	12	61245	4	BLZ100	13	HTP-1010	36
13-1H1	18	22315	12	61335KI	4	BLZ1401-010	13	HTP-1010WHT	36
13-003	18	22320	12	61345	4	BLZ1401-129	13	K5-30	21
13-004	18	22510	12	61350	4	BLZ1402-130	13	K560	21
13-006	18	22515	12	63315	23	BLZ1406-010	13	K5100	21
13-084	18	22520	12	63350	23	BLZ1407-130	13	KF-200	33
13-086	18	22710	12	63415	6	BLZ1429-010	13	KT4000	39
13-089	18	22715	12	63475	6	BLZ1429-129	13	LL20	21
13-095	18	22720	12	63615	23	BLZ1429-130	13	LTB-400	42
14-001	18	23167	11	63650	23	BLZ1436-010	13	LTG-400	42
14-002	18	25110	19	67011	19	BLZPSC-010	13	LTS-400	42
14-078	29	25114	19	67015	19	BMW12	38	LV9000	8
14-GRC	42	25130	38	67021	19	BS4PVC	13	LV9500	8
17-003	18	25140	38	67025	19	BS5PVC	13	MB-20UVB	37
17-004	18	25150	38	67031	19	BS6PVC	13	MPS-2080	38
17-084	18	25210	16	67035	19	BS7PVC	13	MPS-2100	38
17-086	18	25260	38	67041	19	BS8PVC	13	MPS-2125	38
20-089	42	25261	38	67045	19	BS9PVC	13	MS-1550T	35
25-003	18	25280	38	67051	19	BS55PVC	13	MS-1575T	35
25-004	18	25299	38	67055	19	BS75PVC	13	MSG-501	38
25-095	18	27145	19	67071	19	BS1250P	13	MSG-501B	38
42-027	41	31556	22	67075	19	BS1275P	13	MSI-1525T	35
42-028	41	42024	26	67081	19	BS1290P	13	OC25143	36
45-306SS	37	42025	26	67085	19	BS2550	13	OC100123LT	36
45-308UVBFZ	37	42095	25	67091	19	BS2575	13	OC251233T	36
45-311UVBFZ	37	42521	24	67095	19	BS2590	13	OC501433T	36
45-312SS	37	42900	24	67111	19	BS3350	13	PCC-1525	35
45-314UVBFZ	37	44010	16	67115	19	BS3375	13	PD6902	28
46-104	37	44020	16	67205	19	BS3390	13	PPC-1538	41
46-210UVB	37	45015	17	67215	19	BS4010	13	PPC-1538UVB	41
46-308	37	45020	17	67225	19	BS5000	13	PPC-1550	41
46-308UVB	37	45025	17	67235	19	BS5500	13	PPC-1550UVB	41
46-308UVBFZCC	37	45030	17	67245	19	BS6000	13	PS-50	35
46-310	37	45035	17	69105	23	BS7000	13	PS-150	35
46-311UVBFZ	37	45040	17	69205	23	BS7500	13	PS-225J	35
46-314UVBFZ	37	45045	17	71010	23	BS8000	13	QA5562	17
46-315	37	45050	17	71020	23	BS9000	13	RET250	46
46-315UVB	37	45055	17	71030	23	BS9999	13	RET251	46
46-418UVB	37	46005	29	71040	23	BS12500	13	RET252	46
46-424UVB	37	46200	29	72010	7	BS12750	13	RET350	43
48-308UVB	37	46300	33	72020	7	BS12900	13	RET360	44
10222	10	46310	34	72030	7	BVS1	9	RET450	43
10241	10	46311	34	72040	7	BVS2	9	RET550	43
10444	18	46350	34	81311	17	CW-T2R2	41	RET650	43
10555	18	46351	34	81314	17	DM4A	25	RTP-3422	42
10600	18	46501	29	81315	17	DM6260	26	SB5000	34
10666	18, 22	46515	29	81701	17	DSA600TRMSR	25	SB6000	34
10670	18	46540	29	81801	17	E1	25	SBDC1	13
10975	18	46550	29	81802	17	EFT-15	39	SE-92	30
10990	18	46600	33	81803	17	EL1009	13	SL-C550	34
10999	18	46730	32	86020	35	FTS-65R	39	THT-SC-CC	33
15140	11	46750	32	86021	35	GBP-61N	31	TK-175	40
16142	11	46808	32	86022	35	GBX-TK	40	TLC10	9
17145	11	46812	32	86070	36	GC-375	31	TLC10-25	9
20101	10	46910C	32	86080	36	GCC-120	40	TLC20	9
20111	10	46912C	32	86081	36	GCC-220	40	TLC20-15	9
20122	10	47027B	35	90120	22	GCC-310	40	TST-CJ29PRO	33
20136	10	47405	39	90220	22	GDT-311	27	VD6509	27
20205	8	47502	39	90320	7	GDT-3190	27		

42 N. Central Drive
O'Fallon, MO 63366

Phone: 800.624.4320
Fax: 262.649.7178

Website:
www.kinginnovation.com

Email: customer.service@ecmindustries.com

ECM INDUSTRIES

GB
Gardner
Bender

ILSCO
connections
matter

KING
INNOVATION®

BERGEN
INDUSTRIES, INC.

CALTERM®